

Resource Guide: Health Literacy and Aging

(1) Health Literacy in General

AMA Foundation. (2007, September 4). Health literacy. Available at www.ama-assn.org/ama/pub/category/8115.html

Baker, D.W. (2006). The meaning and the measure of health literacy. *Journal of General Internal Medicine*, 21(8), 878-83.

Baker, D.W., Gazmararian, J.A., Williams, M.V., Scott, T., Parker, R.M., Green, D., Ren, J., Peel, J. (2002). Functional health literacy and the risk of hospital admission among medicare managed care enrollees. *American Journal of Public Health*, 92(8), 1278-83.

Baker, D.W., Parker, R.M., Williams, M.V., Clark, W.S. (1998). Health literacy and the risk of hospital admission. *Journal of General Internal Medicine*, 12(12), 791-8.

Baker, D.W., Gazmararian, J.A., Sudano, J., Patterson, M. (2000). The association between age and health literacy among older persons. *Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 55B(6), S368-74.

Baker, D.W., Wolf, M.S., Feinglass, J., Thompson, J.A., Gazmararian, J.A., Huang, J. (2006). Health literacy and mortality among elderly persons. *Arch Intern Med*, 167(14), 1503-9.

Bernhardt, J.M., Cameron, K.A. (2003). Accessing, understanding, and applying health communication messages: The challenge of health literacy. In Thompson, T.L., Dorsey, A.M., Miller, K.I., Parrott, R., (Eds.). *Handbook of Health Communication* (pp. 583-605). Mahwah, NJ: Lawrence Erlbaum Associates.

Braunack-Mayer, A., Hersh, D. (2001). An ethical voice in the silence of aphasia: Judging understanding and consent in people with aphasia. *Journal of Clinical Ethics*, 12(4), 388-96.

Calderon, J.L., Ellwood, A.L., Smith, S.A. (2007). Health literacy. In Carr, J.E., Sahler, O.J.Z. (Eds.) *The Behavioral Sciences and Health Care* (pp. 269-75). Ashland, OH: Hogrefe & Huber Publishers.

Center for Medicare Education. (2000). Considering health literacy. *Center for Medicare Education Issue Brief*, 1(6).

Gates, R. (2003). Challenging health literacy as a language ideology: Implications for African Americans. *Gerontologist*, 43(Special Issue 41).

Gazmararian, J.A., Curran, J.W., Parker, R.M., Bernhardt, J.M., DeBuono, B.A. (2005). Public health literacy in America: An ethical imperative. *American Journal of Preventative Medicine*, 28(3), 317-22.

Golbeck, A.L., Ahlers-Schmidt, C.R., Paschal, A.M., Dismuke, S.E. (2005). A definition and operational framework for health numeracy. *American Journal of Preventative Medicine*, 29(4), 375-6.

Howard, D.H., Sentell, T., Gazmararian, J.A. (2006). Impact of health literacy on socioeconomic and racial differences in health in an elderly population. *Journal of General Internal Medicine*, 21(8), 857-61.

Institute of Educational Sciences, National Center for Educational Statistics. The health literacy of America's adults: Results from the 2003 National Assessment of Adult Literacy (NAAL). Available at <http://nces.ed.gov/naal/>

Institute of Medicine. (2004). Health literacy: A prescription to end confusion. Available at www.iom.edu/CMS/3775/3827/19723.aspx

Kelleher, J. (2002). Cultural literacy and health. *Epidemiology*, 12(5), 497-500.

Keselman, A., Tse, T., Crowell, J., Browne, A., Ngo, L., Zeng, Q. (2007). Assessing consumer health vocabulary familiarity: An exploratory study. *Journal of Medical Internet Research*, 9(1), 1-7.

Kiefer, K.M. (2001, February). Health Literacy: Responding to the Need for Help. Washington, DC: Center for Medicare Education.

Kilker, K. (2000). Considering health literacy. *Issue Brief Center for Medicare Education*, 1(6), 1-8.

Kickbusch, I.S. (2001, September). Health literacy: Addressing the health and education divide. *Health Promotion International*, 16(3), 289-97.

Kuo, C. (2005, August). Relevance of health literacy to ADRCs. *Aging & Disability Resource Center – Technical Assistance Exchange Issue Brief*

Kutner, M., Greenberg, E, Jin, Y., Paulsen, C. (2006). The Health Literacy of America's Adults: Results From the 2003 National Assessment of Adult Literacy (NCES 2006-483). U.S. Department of Education, Washington, DC: National Center for Education.

Lee, P.P. (1999). Why literacy matters: Links between reading ability and health. *Archives of Ophthalmology*, 117(1), 100-03.

Montori, V.M., Rothman, R.L. (2005). Weakness in numbers: The challenge of numeracy in health care. *Journal of General Internal Medicine*, 20(11), 1071-72.

Nelson, J.C., Schwartzberg, J.G., Vergara, K.C. (2005). The public's and the patient's right to know: AMA commentary on "Public Health Literacy in America: An Ethical Imperative." *American Journal of Preventative Medicine*, 28(3), 325-6.

Parikh, N.S., Parker, R.M., Nurss, J.R., Baker, D.W., Williams, M.V. (1996). Shame and health literacy: The unspoken connection. *Patient Education and Counseling*, 27(1), 33-9.

Ratzan, S.C. (2001). Health literacy: Communication for the public good. *Health Promotion International*, 16(2), 207-14.

Saha, S. (2006). Improving literacy as a means to reducing health disparities. *Journal of General Internal Medicine*, 21(8), 893-5.

Schillinger, D., Chen, A.H. (2004). Literacy and language: disentangling measures of access, utilization, and quality. *Journal of General Internal Medicine*, 19(3), 288-90.

Schwartzberg, J., VanGeest, J. Wang, C.C. (Eds.). (2005). *Understanding health literacy: Implications for medicine and public health*. Chicago, IL: AMA Press.

Stableford, S., Mettger, W. (2007). Plain language: A strategic response to the health literacy challenge. *Journal of Public Health Policy*, 28(1), 71-93.

Sorrell, J.M. (2006). Health literacy in older adults. *Journal of Psychosocial Nursing & Mental Health Services*, 44(3), 17-20.

Speros, C. (2005). Health literacy: Concept analysis. *Journal of Advanced Nursing*, 50(6), 633-40. Sudore, R., Mehta, K., Simonsick, E., Harris, T., Newman, A., Satterfield, S., et al. (2006). Limited literacy in older people and disparities in health and healthcare access [Electronic version]. *Journal of the American Geriatrics Society*, 54(5), 770-6.

Tones, K. (2002). Health literacy: Old wine in new bottles? *Health Education Research*, 17(3), 287-90.

U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Quick guide to health literacy. Available at www.health.gov/communication/literacy/quickguide/resources.htm

U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Quick Guide to Health Literacy and Older Adults. Available at www.health.gov/communication/literacy/olderadults/defaults.htm

Wallace, L., Jones, B. (2003, October 23). Health literacy and the older adult: Fact sheet [streaming video]. Texas Tech Medcast, Reynolds Geriatrics Series. Available at www.ttuhs.edu/SOM/FamMed/TTMedCast/ttmedcast_ger.html

Weiss, B.D., Reed, R.L., Kligman, E.W., (1995). Literacy skills and communication methods of low-income older persons. *Patient Education and Counseling*, 25(2), 109-19.

Wolf, M.S., Gazmararian, J.A., Baker, D.W. (2007). Health literacy and health risk behaviors among older adults. *American Journal of Preventative Medicine*, 32(1), 19-24.

Zarcadoolas, C., Pleasant, A., Greer, D.S. (2003). Elaborating a definition health literacy: A commentary. *Journal of Health Communication*, 8(Suppl 1), 119-20.

(2) Health Information Seeking and Communication

Adams, J.M., Hoffman, L. (1994). Implications of issues in typographical design for readability and reading satisfaction in an aging population. *Experimental Aging Research*, 20(1), 61-9.

Alibhai, S.M., Han, R.K., Naglie, G. (1999). Medication education of acutely hospitalized older patients. *Journal of General Internal Medicine*, 14(10), 610-16.

Berenova, E., Sykes, C. (2000). A systematic review of computer-based softwares for education patients with coronary artery disease. *Patient Education and Counseling*, 66(1), 21-8.

Birru, M.S., Monaco, V.M., Charles, L., Drew, H., Njie, V., Bierria, T., Detlefsen, E., Steinman, R.A. (2004). Internet usage by low-literacy adults seeking health information: An observational analysis. *Journal of Medical Internet Research*, 6(3).

Canadian Public Health Association. (1999). The directory of plain language public health information. Ottawa: Canadian Public Health Association. Available at www.pls.cpha.ca/english/english.pdf

Cotugna, N., Vickery, C.E., Carpenter-Haeefe, K.M. (2005). Evaluation of literacy level of patient education pages in health-related journals. *Journal of Community Health*, 30(3), 213-9.

DePalma, A. (2000). Prostate cancer shared decision: CD-ROM educational and decision-assisting tool for men with prostate cancer. *Seminars in Urologic Oncology*, 18(3), 178-81.

Edwards, D. (2003). Review of mapping health on the internet: Strategies for learning in an information age. *Journal of Psychiatric and Mental Health Nursing*, 10(4), 501.

Estrada, C.A., Hryniewicz, M.M., Higgs, V.B., Collins, C., Byrd, J.C. (2000). Anticoagulant patient information material is written at high readability levels. *Stroke*, 31(12), 2966-70.

Form, A.F., Griffiths, K.M., Christensen, H., Korten, A.E., Parslow, R.A., Rodgers, B. (2003). Providing information about the effectiveness of treatment options to depressed people in the community: A randomized controlled trial of effects on mental health literacy, help-seeking and symptoms. *Psychological Medicine*, 33(6), 1071-9.

Friedman, D.B., Hoffman-Goetz, L. (2006). A systematic review of readability and comprehension instruments used for print and web-based cancer information. *Health Education and Behavior*, 33(3), 352-73.

Fuller, R., Dudley, N., Blacktop, J. (2001). Risk communication and older people - understanding of probability and risk information by medical inpatients aged 75 years and older. *Age Ageing*, 30(6), 473-6.

Gausman-Benson, J., Forman, W.B. (2002). Comprehension of written health care information in an affluent geriatric retirement community: Use of the Test of Functional Health Literacy. *Gerontology*, 48(2), 93-7.

Guidry, J.J., Fagan, P., Walker, V. (1998). Cultural sensitivity and readability of breast and prostate printed cancer education materials targeting African Americans. *Journal of the National Medical Association*, 90(3), 165-9.

Goldstein, D. (2000). Wired seniors: A real on-line e-health revolution. *Managed Care Interface*, 13(11), 50-2.

Hibbard, J.H., Slovic, P. (2003). Using a screening tool and using narratives to help support Medicare beneficiary choices: Final report. Baltimore, MD: Centers for Medicare and Medicaid Services.

Goldstein, D. (2000). Wired seniors: A real on-line e-health revolution. *Managed Care Interface*, 13(11), 50-2.

Jacobson, T.A., Thomas, D.M., Morton, F.J., Offutt, G., Shelvin, J., Ray, S. (2000). Use of low-literacy patient education tool to enhance pneumococcal vaccination rates. *Journal of American Medical Association*, 287(7), 1068-9.

Khurana, R.N., Lee, P.P. (2003). Readability of ocular medication inserts. *Journal of Glaucoma*, 12(1), 50-3.

Kim, S.P., Knight, S.J., Tomori, C., Colella, K.M., Schoor, R.A., Shih, L., et al (2001). Health literacy and shared decision making for prostate cancer patients with low socioeconomic status. *Cancer Investigation*, 19, 684-91.

Kimble, L.P., Dunbar, S.B., McGuire, D.B., Fazio, S., Strickland, O.L. (2001). Cardiac instrument development in a low-literacy population: The revised Chest Discomfort Diary. *Heart Lung*, 30(4), 312-20.

Koo, M., Krass, I., Aslani, P. (2006). Enhancing patient education about medicines: Factors influencing reading and seeking written medicine information. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy*, 9(2), 174-87.

- Kripalani, S., Weiss, B.D. (2006). Teaching about health literacy and clear communication. *Journal of General Internal Medicine*, 21(8), 888-90.
- Kreps, G.L. (2002). Evaluating new health information technologies: Expanding the frontiers of health care delivery and health promotion. *Studies in Health Technology Information*, 80, 205-12.
- Lighthouse International. Making text legible: Designing for people with partial sight. Available at www.lighthouse.org/accessibility/legible
- Liu, C.J. (2006). Comprehension of health-related written materials by older adults. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 67(6-A), 2278.
- Mazor, K.M., Billings-Gagliardi, S. (2003). Does reading about stroke increase stroke knowledge? The impact of different print materials. *Patient Education and Counseling*, 51(3), 207-15.
- Morrow, D.G., Weiner, M., Young, J., Steinley, D., Deer, M., Murray, M.D. (2005). Improving medication knowledge among older adults with heart failure: A patient-centered approach. *Gerontologist*, 45(4), 542-52.
- Morrow, D.G., Weiner, M., Steinly, D., Young, J., Murray, M.D. (2007). Patients' health literacy and experience with instructions: Influence preferences for heart failure medication instructions. *Journal of Aging and Health*, 19(4), 575-93.
- Murero, M., D'Ancona, G., Karamanoukian, H.(2001). Use of the internet by patients before and after cardiac surgery: telephone survey. *Journal of Medical Internet Research*, 3(3), E27.
- National Cancer Institute. (2008) Pink book – making health communication programs work. Available at www.cancer.gov/pinkbook
- National Institute on Aging, National Library of Medicine. Making your web site senior friendly. Available at www.nlm.nih.gov/pubs/checklist.pdf
- National Institute on Deafness and Other Communication Disorders, National Institutes of Health. Hearing loss and older adults. Available at www.nidcd.nih.gov/health/older.htm
- National Institute on Deafness and Other Communication Disorders. (2001). Plain language and the challenge of health literacy: New directions in health communication. NIDCD Inside. Available from www.nidcd.nih.gov/health/inside/wtr01/pg2.asp
- Neaville, E. (2005). Making websites more accessible for users who are older and/or have a disability. *Aging & Disability Resource Center – Technical Assistance Exchange Issue Brief*.
- Norman, C.D., Skinner, H.A. (2006). e-Health literacy: Essential skills for consumer health in a networked world. *Journal of Medical Internet Research*, 8(2).
- Osborne, H. (2000, October). In other words...When vision is an issue...Communicating with patients who are visually impaired. Available at www.healthliteracy.com/article.asp?PageID=3774
- Owenby, R.L. (2004). Readability of geriatric mental health information on the internet. In Fieschi, M., et al (Eds.). *Medinfo 2004* (p.79). Amsterdam: IOS Press.
- Pawaskar, M.D., Sansgiry, S.S. (2006). Over-the-counter medication labels: Problems and needs of the elderly population. *Journal of the American Geriatrics Society* 54(12), 1955-6.
- Payne, J.G., Schulte, S.K. (2003). Mass media, public health, and achieving health literacy. *Journal of Health Communication*, 8(Suppl 1), 124-5.

Pepe, M.V., Chodzko, W.J. (1997). Impact of older adult's reading ability on the comprehension and recall of cholesterol information [Electronic version]. *Journal of Health Information*, 28(1), 21-7.

Pfizer. (2006). Clear health communication initiative: It's about improving health. Available at www.pfizerhealthliteracy.com/

Plain Language Action and Information Network. Available at www.plainlanguage.gov

Rose, T.A., Worrall, L.E., Mckenna, K.T. (2003). The effectiveness of aphasia-friendly principles for printed health education materials for people with aphasia following stroke. *Aphasiology*, 17(10), 947-63.

Santo, A., Laizner, A.M., Shohet, L. (2005). Exploring the value of audiotapes for health literacy: A systematic review. *Patient Education and Counseling*, 58(3), 235-43.

Schillinger, D., Bindman, A., Wang, F., Stewart, A., Peitte, J. (2004). Functional health literacy and the quality of physician-patient communications among diabetes patients. *Patient Education and Counseling*, 52(3), 315-323.

Stableford, S., Mettger, W. (2007). Plain language: A strategic response to the health literacy challenge. *Journal of Public Health Policy*, 28, 71-93.

Thompson, T.L., Dorsey, A.M., Miller, K.I., Parrott, R. (Eds.) (2003). *Handbook of Health Communication*. Mahwah, NJ: Lawrence Erlbaum Associates Publishers.

University of Washington Medical Center. Communicating with your hard-of-hearing patient. Available at depts.washington.edu/pfes/pdf/DeafCultureClue4_07.pdf

U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Communicating health: Priorities and strategies for progress. Available at www.odphp.osophs.dhhs.gov/projects/HealthComm/

Valle, R., Yamada, A.M., Matiela, A.C. (2006). Fotonovelas: A health literacy tool for education Latino older adults about dementia. *Clinical Gerontologist*, 30(1), 71-88.

Wathen, C.N., Harris, R.M. (2007). "I try to take care of myself" How rural women search for health information. *Qualitative Health Research*, 17(5), 639-51.

Wilson, F.L., Racine, E., Tekieli, V., Williams, B. (2003). Literacy, readability and cultural barriers: Critical factors to consider when education older African Americans about anticoagulation therapy [Electronic version]. *Journal of Clinical Nursing*, 12(2), 275-82.

Witte, T.N., Kuzel, A.J., (2000). Elderly deaf patients' health care experiences. *Journal of the American Board of Family Practice*, 13(1), 81-3.

Zanchetta, M.S., Perreault, M., Kaszap, M., Viens, C. (2007). Patterns in information strategies used by older men to understand and deal with prostate cancer: An application of the modelisation qualitative research design. *International Journal of Nursing Studies*, 44(6), 961-72.

(3) Disease and Health Literacy

Cancer

Davis, T.C., Dolan, N.C., Ferreira, M.R., Tomori, C., Green, K.W., Sipler, A.M., Bennet, C.L. (2001). The role of inadequate health literacy skills in colorectal cancer screenings. *Cancer Investigation*, 19(2), 193-200.

DePalma, A. (2000). Prostate cancer shared decision: CD-ROM educational and decision-assisting tool for men with prostate cancer. *Seminars in Urologic Oncology*, 18(3), 178-81.

Friedman, D.B., Hoffman-Goetz, L. (2006). A systematic review of readability and comprehension instruments used for print and web-based cancer information. *Health Education and Behavior*, 33(3), 352-73.

Guerra, C.E., Dominguez, F., Shea, J.A. (2005). Literacy and knowledge, attitudes, and behavior about colorectal cancer screening. *Journal of Health Communication*, 10(7), 651-663.

Jones, A.R., Thompson, C.J., Oster, R.A., Samadi, A., Davis, M.K., Mayberry, R.M., Caplan, L.S. (2003). Breast cancer knowledge, beliefs, and screening behaviors among low-income elderly black women. *Journal of the National Medical Association*, 95(9), 791-7, 802-5.

Holmes-Rovner, M., Price, C., Rovner, D.R., Kelly-Blake, K., Lillie, J., Wills, C., Bonham, V.L. Jr. (2006). Men's theories about benign prostatic hyperplasia and prostate cancer following a benign prostatic hyperplasia decision aid. *Journal of General Internal Medicine*, 21(1), 56-60.

Kim, S.P., Knight, S.J., Tomori, C., Colella, K.M., Schoor, R.A., Shih, L., et al (2001). Health literacy and shared decision making for prostate cancer patients with low socioeconomic status [Electronic version]. *Cancer Investigation*, 19, 684-91.

Manning, D.L., Dickens, C. (2006). Health literacy: More choice, but what do cancer patients have the skills to decide? *European Journal of Cancer Care*, 15(5), 448-52.

O'Dell, K.J., Volk, R.J., Cass, A.R., Spann, S.J. (1999). Screening for prostate cancer with the prostate-specific antigen test: Are patients making informed decisions? *Journal of Family Practice*, 48(9), 679-81.

Zanchetta, M.S., Perreault, M., Kaszap, M., Viens, C. (2007). Patterns in information strategies used by older men to understand and deal with prostate cancer: An application of the modelisation qualitative research design. *International Journal of Nursing Studies*, 44(6), 961-72.

Coronary and Vascular Conditions

Berenova, E., Sykes, C. (2007). A systematic review of computer-based softwares for education patients with coronary artery disease. *Patient Education and Counseling*, 66(1), 21-8.

Bosworth, H.B., Oddone, E.Z. (2002). A model of psychosocial and cultural antecedents of blood pressure control. *Journal of the National Medical Association*, 94(4), 236-48.

Dailey, R., Schwartz, K.L., Binienda, J., Moorman, J., Neale, A.V. (2006). Challenges in making therapeutic lifestyle changes among hypercholesterolemic African-American patients and their physicians. *Journal of the National Medical Association*, 98(120), 1895-1903.

DeWalt, D.A., Malone, R.M., Bryant, M.E., Kosnar, M.C., Corr, K.E., Rothman, R.L., Sueta, C.A., Pignone, M.P. (2006). A heart failure self-management program for patients of all literacy levels: A randomized, controlled trial. *BMC Health Servi Res*, 6:30.

- Estrada, C.A., Hryniewicz, M.M., Higgs, V.B., Collins, C., Byrd, J.C. (2000). Anticoagulant patient information material is written at high readability levels. *Stroke*, 31(12), 2966-70.
- Fang, M.C., Machtinger, E.L., Wang, F., Schillinger, D. (2006). Health literacy and anticoagulation-related outcomes among patients taking Warfarin. *Journal of General Internal Medicine*, 21(8), 841-6.
- Gazmararian, J.A., Kripalani, S., Miller, M.J., Echt, K.V., Ren, J., Rask, K. (2006). Factors associated with medication refill adherence in cardiovascular-related diseases: A focus on health literacy. *J Gen Intern Med*, 21(12), 1215-21.
- Kimble, L.P., Dunbar, S.B., McGuire, D.B., Fazio, S., Strickland, O.L. (2001, July-August). Cardiac instrument development in a low-literacy population: The revised Chest Discomfort Diary. *Heart Lung*, 30(4), 312-20.
- Laramee, A.S., Morris, N., Littenberg, B. (2007). Relationship of literacy and heart failure in adults with diabetes. *BMC Health Services Research*, 7, 98.
- Mazor, K.M., Billings-Gagliardi, S. (2003). Does reading about stroke increase stroke knowledge? The impact of different print materials. *Patient Education and Counseling*, 51(3), 207-15.
- Morrow, D., Clark, D., Tu, W., Wu, J., Weiner, M., Steinley, D., Murray, M.D. (2006). Correlates of health literacy in patients with chronic heart failure. *The Gerontologist*, 46(5), 669-76.
- Morrow, D.G., Weiner, M., Steinley, D., Young, J., Murray, M.D. (2007). Patient's health literacy and experience with instructions: Influence preferences for heart failure medication instructions. *Journal of Aging and Health*, 19(4), 575-93.
- Morrow, D.G., Weiner, M., Young, J., Steinley, D., Deer, M., Murray, M.D. (2005). Improving medication knowledge among older adults with heart failure: A patient-centered approach. *Gerontologist*, 45(4), 542-2.
- Murero, M., D'Ancona, G., Karamanoukian, H.(2001). Use of the internet by patients before and after cardiac surgery: telephone survey. *Journal of Medical Internet Research*, 3(3), E27.
- Pepe, M.V., Chodzko, W.J. (1997). Impact of older adult's reading ability on the comprehension and recall of cholesterol information [Electronic version]. *Journal of Health Information*, 28(1), 21-7.
- Rose, T.A., Worrall, L.E., Mckenna, K.T. (2003). The effectiveness of aphasia-friendly principles for printed health education materials for people with aphasia following stroke. *Aphasiology*, 17(10), 947-63.
- Walsh, d., Shaw, D.G. (2000). The design of written information for cardiac patients: A review of the literature. *Journal of Clinical Nursing*, 9(5), 658-67
- Wilson, F.L., Racine, E., Tekieli, V., Williams, B. (2003). Literacy, readability and cultural barriers: Critical factors to consider when education older African Americans about anticoagulation therapy [Electronic version]. *Journal of Clinical Nursing*, 12(2), 275-82.
- Williams, A., Lindsell, C., Rue, L., Blomkalns, A. (2007). Emergency department education improves patient knowledge of coronary artery disease risk factors but not the accuracy of their own risk perception. *Preventive Medicine*, 44(6), 520-5.

Dementia

Baker, D.W., Gazmararian, J.A., Sudano, J., Patterson, M., Parker, R.M., Williams, D.W. (2002). Health literacy and performance on the Mini-Mental State Examination. *Aging and Mental Health*, 6(1), 22-29.

Mol, M., DeGroot, R., Hoogenhout, E., Aben, A., Verhay, F., Jolles, J. (2007). An evaluation of the use of a website and telephonic information service as public education about forgetfulness. *Telemedicine Journal and eHealth*, 13(4), 433-43.

Traywick, C.A., Flacker, J.M. (2003). Is health literacy associated with performance on cognitive screening tests? *Journal of the American Geriatric Society*, 51(4 Suppl S), 110.

Weiss, B.D., Reed, R., Kligman, E.W., Abyad, A. (1995). Literacy and performance on the Mini-Mental State Examination. *Journal of the American Geriatric Society*, 43(7), 807-10.

Werner, P. (2005). Lay perceptions about mental health: Where is age and where is Alzheimer's disease. *International Psychogeriatrics*, 17(3), 371-82.

Valle, R., Yamada, A.M., Matiela, A.C. (2006). Fotonovelas: A health literacy tool for education Latino older adults about dementia. *Clinical Gerontologist*, 30(1), 71-88.

Diabetes

Kleinbeck, C. (2005). Reaching positive diabetes outcomes for patients with low literacy. *Home Healthcare Nurse*, 23(1), 16-22.

Morris, N.S., MacLean, C.D., Littenberg, B. (2006). Literacy and health outcomes: A cross-sectional study in 1002 adults with diabetes. *BMC Family Practice*, 7, 49.

Schillinger, D., Bindman, A., Wang, F., Stewart, A., Peitte, J. (2004). Functional health literacy and the quality of physician-patient communications among diabetes patients. *Patient Education and Counseling*, 52(3), 315-323.

Schillinger, D., Grumbach, K., Piette, J., Wang, F., Osmond, D., Daher, C., Palacios, J., Sullivan, G.D., Bindman, A.B. (2002). Association of health literacy with diabetes outcomes. *JAMA: Journal of the American Medical Association*, 288(4), 475-82.

Seligman, H.K., Wang, F.F., Palacios, J.L., Wilson, C.C., Daher, C., Piette, J.D., Schillinger, D. (2005). Physician notification of their diabetes patients' limited health literacy: A randomized controlled trial: Erratum. *Journal of General Internal Medicine*, 20(11), 1007.

Mental Health/Illness

Form, A.F., Griffiths, K.M., Christensen, H., Korten, A.E., Parslow, R.A., Rodgers, B. (2003). Providing information about the effectiveness of treatment options to depressed people in the community: A randomized controlled trial of effects on mental health literacy, help-seeking and symptoms. *Psychological Medicine*, 33(6), 1071-9.

Weiss, B.D., Francis, L., Senf, J.H., Heist, K., Hargraves, R. (2006). Literacy education as treatment for depression in patients with limited literacy and depression: A randomized controlled trial. *Journal of General Internal Medicine*, 21(8), 823-28.

Werner, P. (2005). Lay perceptions about mental health: Where is age and where is Alzheimer's disease. *International Psychogeriatrics*, 17(3), 371-82.

Other

Apter, A.J., Cheng, J., Small, D., Bennett, I.M., Albert, C.F., Daniel, G., George, M., Van Horne, S. (2006). Asthma numeracy skill and health literacy. *Journal of Asthma*, 43(9), 705-10.

Chen, S.Y., Wang, H.H. (2007). The relationship between physical function, knowledge of disease, social support and self-care behavior in patients with rheumatoid arthritis. *Journal of Nursing Research*, 15(3), 183-92.

Gazmararian, J.A., Williams, M.V., Peel, J., Baker, D.W. (2003). Health literacy and knowledge of chronic disease. *Patient Education and Counseling*, 51(3), 267-75.

Khurana, R.N., Lee, P.P. (2003). Readability of ocular medication inserts. *Journal of Glaucoma*, 12(1), 50-3.

Muir, K.W., Santiago-Turla, C., Stinnett, S.S., Herndon, L.W., Allingham, R.R., Challa, P., Lee, P.P. (2006). Health literacy and adherence to glaucoma therapy. *American Journal of Ophthalmology*, 142(2), 223-6.

Pande, K.C., de Takats, D., Kanis, J.A., Edwards, V., Slade, P, McCloskey, E.V. (2000). Development of a questionnaire (OQP) to assess patient's knowledge about osteoporosis. *Maturitas*, 37(2), 75-81.

Persell, S.D., Osborn, C.Y., Richard, R., Skripkauskas, S., Wolf, M.S. (2007). Limited health literacy is a barrier to medication reconciliation in ambulatory care. *Journal of General Internal Medicine*, 22(11), 1523-6.

Williams, M.V. (2002). Recognizing and overcoming inadequate health literacy: A barrier to care. *Cleveland Clinic Journal of Medicine*, 69(5), 415-8.

(4) Wellness, Prevention, and Health Literacy

Davis, T.C., Dolan, N.C., Ferreira, M.R., Tomori, C., Green, K.W., Sipler, A.M., Bennet, C.L. (2001). The role of inadequate health literacy skills in colorectal cancer screenings. *Cancer Investigation*, 19(2), 193-200.

Guerra, C.E., Dominguez, F., Shea, J.A. (2005). Literacy and knowledge, attitudes, and behavior about colorectal cancer screening. *Journal of Health Communication*, 10(7), 651-663.

Jacobson, T.A., Thomas, D.M., Morton, F.J., Offutt, G., Shelvin, J., Ray, S. (2000). Use of low-literacy patient education tool to enhance pneumococcal vaccination rates. *Journal of American Medical Association*, 287(7), 1068-9.

Jones, A.R., Thompson, C.J., Oster, R.A., Samadi, A., Davis, M.K., Mayberry, R.M., Caplan, L.S. (2003). Breast cancer knowledge, beliefs, and screening behaviors among low-income elderly black women. *Journal of the National Medical Association*, 95(9), 791-7, 802-5.

Miller, M., Degenholtz, H. (2003). The relationship between general functional literacy and use of preventive health care services among the elderly. *Gerontologist*, 43 Special Issue, 74-5.

O'Dell, K.J., Volk, R.J., Cass, A.R., Spann, S.J. (1999). Screening for prostate cancer with the prostate-specific antigen test: Are patients making informed decisions? *Journal of Family Practice*, 48(9), 679-81.

Pande, K.C., de Takats, D., Kanis, J.A., Edwards, V., Slade, P, McCloskey, E.V. (2000). Development of a questionnaire (OQP) to assess patient's knowledge about osteoporosis. *Maturitas*, 37(2), 75-81.

Schillinger, D., Chen, A.H. (2004). Literacy and language: disentangling measures of access, utilization, and quality. *Journal of General Internal Medicine*, 19(3), 288-90.

Wolf, M.S., Gazmararian, J.A., Baker, D.W. (2007). Health literacy and health risk behaviors among older adults. *American Journal of Preventive Medicine*, 32(1), 19-24.

(5) Health Literacy and Adherence: Medication, Nutrition and Lifestyle Changes

Adult Meducation. Improving medication adherence in older adults. Available at www.AdultMeducation.com

Alibhai, S.M., Han, R.K., Naglie, G. (1999). Medication education of acutely hospitalized older patients. *Journal of General Internal Medicine*, 14(10), 610-6.

Brunt, A.R., Schafer, E. (1997). Helping consumers with low literacy interpret the new food label. *Journal of Nutrition Education*, 29(4), 224-5.

Charupatanapong, N. (1996). Knowledge, perceived risks and self-medication practices of the low-income elderly. *Geriatric Drug Therapy*, 11(1), 17-35.

Dailey, R., Schwartz, K.L., Binienda, J., Moorman, J., Neale, A.V. (2006). Challenges in making therapeutic lifestyle changes among hypercholesterolemic African-American patients and their physicians. *Journal of the National Medical Association*, 98(120), 1895-1903.

Drummond, M., Smith, J. (2006). Ageing men's understanding of nutrition: Implications for health. *Journal of Men's Health and Gender*, 3(1), 56-60.

Fang, M.C., Machtiger, E.L., Wang, F., Schillinger, D. (2006). Health literacy and anticoagulation-related outcomes among patients taking Warfarin. *Journal of General Internal Medicine*, 21(8), 841-6.

Gazmararian, J.A., Kripalani, S., Miller, M.J., Echt, K.V., Ren, J., Rask, K. (2006). Factors associated with medication refill adherence in cardiovascular-related diseases: A focus on health literacy. *J Gen Intern Med*, 21(12), 1215-21.

Hussey, L.C. (1994). Minimizing effects of low literacy on medication knowledge and compliance among the elderly [Electronic version]. *Clinical Nursing Research*, 3(2), 132-145.

Koo, M., Krass, I., Aslani, P. (2006). Enhancing patient education about medicines: Factors influencing reading and seeking written medicine information. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy*, 9(2), 174-87.

Jacobson, T.A., Thomas, D.M., Morton, F.J., Offutt, G., Shelvin, J., Ray, S. (2000). Use of low-literacy patient education tool to enhance pneumococcal vaccination rates. *Journal of American Medical Association*, 287(7), 1068-9.

- Kripalani, S., Robertson, R., Love-Ghaffari, M.H., Henderson, L.E., Praska, J., Strawder, A., Katz, M.G., Jacobson, T.A. (2007). Development of an illustrated medication schedule as a low-literacy patient education tool. *Patient Education and Counseling*, 66(3), 368-77.
- MacLaughlin, E.J., Raehl, C.L., Treadway, A.K., Sterling, T.L., Zoller, D.P., Bond, C.A. (2005). Assessing medication adherence in the elderly: Which tools to use in clinical practice. *Drugs and Aging*, 22(3), 231-55.
- Mol, M., DeGroot, R., Hoogenhout, E., Aben, A., Verhay, F., Jolles, J. (2007). An evaluation of the use of a website and telephonic information service as public education about forgetfulness. *Telemedicine Journal and eHealth*, 13(4), 433-43.
- Morrow, D., Clark, D., Tu, W., Wu, J., Weiner, M., Steinley, D., Murray, M.D. (2006). Correlates of health literacy in patients with chronic heart failure. *The Gerontologist*, 46(5), 669-76.
- Morrow, D.G., Weiner, M., Steinley, D., Young, J., Murray, M.D. (2007). Patient's health literacy and experience with instructions: Influence preferences for heart failure medication instructions. *Journal of Aging and Health*, 19(4), 575-93.
- Muir, K.W., Santiago-Turla, C., Stinnett, S.S., Herndon, L.W., Allingham, R.R., Challa, P., Lee, P.P. (2006). Health literacy and adherence to glaucoma therapy. *American Journal of Ophthalmology*, 142(2), 223-6.
- Murray, M.D., Morrow, D.G., Weiner, M., Clark, D.O., Tu, W., Deer, M.M., Brater, D.C., Weinberger, M. (2004). A conceptual framework to study medication adherence in older adults. *American Journal of Geriatric Pharmacotherapy*, 21(1), 35-42.
- Pande, K.C., de Takats, D., Kanis, J.A., Edwards, V., Slade, P., McCloskey, E.V. (2000). Development of a questionnaire (OQP) to assess patient's knowledge about osteoporosis. *Maturitas*, 37(2), 75-81.
- Pawaskar, M.D., Sansgiry, S.S. (2006). Over-the-counter medication labels: Problems and needs of the elderly population. *Journal of the American Geriatrics Society* 54(12), 1955-56.
- Pepe, M.V., Chodzko, W.J. (1997). Impact of older adult's reading ability on the comprehension and recall of cholesterol information [Electronic version]. *Journal of Health Information*, 28(1), 21-7.
- Persell, S.D., Osborn, C.Y., Richard, R., Skripkauskas, S., Wolf, M.S. (2007). Limited health literacy is a barrier to medication reconciliation in ambulatory care. *Journal of General Internal Medicine*, 22(11), 1523-6.
- Raehl, C.L., Bond, C.A., Woods, T.J., Patry, R.A., Sleeper, R.B. (2006). Screening tests for intended medication adherence among the elder [Electronic version]. *Annals of Pharmacotherapy*, 40(5), 888-93.
- Rothman, R.L., Housam, R., Weiss, H., Davis, D., Gregory, R., Gebretsadik, T., Shintani, A., Elasy, T.A. (2006). Patient understanding of food labels: The role of literacy and numeracy. *American Journal of Preventative Medicine*, 31(5), 391-8.
- Wilson, F.L., Racine, E., Tekieli, V., Williams, B. (2003). Literacy, readability and cultural barriers: Critical factors to consider when educating older African Americans about anticoagulation therapy [Electronic version]. *Journal of Clinical Nursing*, 12(2), 275-82.
- Wolf, M.S., Davis, T.C., Shrank, W., Rapp, D.N., Bass, P.F., Connor, U.M., Clayman, M., Parker, R.M. (2007). To err is human: Patient misinterpretations of prescription drug label instructions. *Patient Education and Counseling*, 67(3), 293-300.

Wolf, M.S., Gazmararian, J.A., Baker, D.W. (2007). Health literacy and health risk behaviors among older adults. *American Journal of Preventative Medicine*, 32(1), 19-24.

Youmans, S.L., Scillinger, D. (2003). Functional health literacy and medication use: The pharmacist's role. *Annals of Pharmacotherapy*, 37(11), 1726-9.

(6) Assessing, Screening, and Predicting Health Literacy

Aguirre, A.C., Ebrahim, N., Shea, J.A. (2005). Performance of the English and Spanish S-TOFHLA among publicly insured Medicaid and Medicare patients. *Patient Education and Counseling*, 56(3), 332-39.

Artnak, K.E. (1997, January). Informed consent in the elderly: Assessing decisional capacity. *Seminars in Perioperative Nursing*, 6(1), 335-41.

Assessing Literacy Levels of Individuals. Available at www1.wfubmc.edu/NSWAHEC/Library/Assessment+Tools.htm

Baker, D.W. (2006). The meaning and the measure of health literacy. *Journal of General Internal Medicine*, 21(8), 878-3.

Baker, D.W., Gazmararian, J.A., Sudano, J., Patterson, M. (2000, November). The association between age and health literacy among older persons. *Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*. 55B(6), S368-74.

Baker, D.W., Gazmararian, J.A., Sudano, J., Patterson, M., Parker, R.M., Williams, D.W. (2002). Health literacy and performance on the Mini-Mental State Examination. *Aging and Mental Health*, 6(1), 22-9.

Baker, D.W., Williams, M.V., Parker, R.M., Gazmararian, J.A., Nurss, J. (1999). Development of a brief test to measure functional health literacy. *Patient Education and Counseling*, 38(1), 33-42.

Bass, P.F. III, Wilson, J.F., Griffith, C.H. (2003). A shortened instrument for literacy screening. *Journal of General Internal Medicine*, 18(12), 1036-8.

Benson, J.G., Formen, W.B. (2002). Comprehension of written health care information in an affluent geriatric retirement community: Use of the test of functional health literacy. *Gerontology*, 48(2), 93-7.

Braunack-Mayer, A., Hersh, D. (2001). An ethical voice in the silence of aphasia: Judging understanding and consent in people with aphasia. *Journal of Clinical Ethics*, 12(4), 388-96.

Chew, L.D., Bradley, K.A., Boyko, E.J. (2004). Brief questions to identify patients with inadequate health literacy. *Family Medicine*, 36(8), 588-94.

Davis, T.C., Crouch, M.A., Long, S.W., Jackson, R.J., Bates, P., George, R.B., Bairnsfather, L.E. (1991). Rapid assessment of literacy levels of adult primary care patients. *Family Medicine*, 23(6), 433-5.

Davis, T.C., Michielutte, R., Askov, E.N., Williams, M.V., Weiss, B.D. (1998). Practical assessment of adult literacy in health care. *Health Education and Behavior*, 25(5), 613-24.

Donelle, L., Hoffman-Goetz, L., Arocha, J.F. (2007). Assessing health numeracy among community-dwelling older adults. *Journal of Health Communication*, 12(7), 651-65.

Fang, M.C., Machtiger, E.L., Wang, F., Schillinger, D. (2006). Health literacy and anticoagulation-related outcomes among patients taking Warfarin. *Journal of General Internal Medicine*, 21(8), 841-6.

Hibbard, J.H., Slovic, P. (2003). Using a Screening Tool and Using Narratives to Help Support Medicare Beneficiary Choices: Final Report. Baltimore, MD: Centers for Medicare and Medicaid Services.

Keselman, A., Tse, T., Crowell, J., Browne, A., Ngo, L., Zeng, Q. (2007). Assessing consumer health vocabulary familiarity: An exploratory study. *Journal of Medical Internet Research*, 9(1), 1-7.

Kobylarz, F.A., Pomidor, A., Heath, J.M. (2006). SPEAK: A mnemonic tool for addressing health literacy concerns in geriatric clinical encounters. *Geriatrics*, 61(7), 20-6.

Lee, S.Y., Bender, D.E., Ruiz, R.E., Cho, Y.I. (2006). Development of an easy-to-use Spanish Health Literacy test. *Health Services Research*, 41(4 pt 1), 1392-412.

MacLaughlin, E.J., Raehl, C.L., Treadway, A.K., Sterling, T.L., Zoller, D.P., Bond, C.A. (2005). Assessing medication adherence in the elderly: Which tools to use in clinical practice. *Drugs and Aging*, 22(3), 231-55.

Mezey, M., Mitty, E., Ramsey, G. (1997). Assessment of decision-making capacity. Nursing's role. *Journal of Gerontological Nursing*, 23(3), 28-35.

Miller, M.J., Degenholtz, H.B., Gazmararian, J.A., Lin, C.J., Ricci, E.M., Sereika, S.M. (2007). Identifying elderly at greatest risk of inadequate health literacy: A predictive model for population-health decision makers. *Research in Social and Administrative Pharmacy*, 3(1), 70-85.

Morris, N.S., MacLean, C.D., Chew, L.D., Littenberg, B. (2006). The Single Item Literacy Screener: Evaluation of a brief instrument to identify limited reading ability. *BMC Family Practice*, 7, 21.

Schwartz, L.M., Woloshin, S., Welch, H.G. (2005). Can patients interpret health information? An assessment of the medical data interpretation test. *Medical Decision Making*, 25(3), 290-300.

Traywick, C.A., Flacker, J.M. (2003). Is health literacy associated with performance on cognitive screening tests? *Journal of the American Geriatric Society*, 51(4 Suppl S), 110.

Wallace, L.S., Cassada, D.C., Rogers, E.S., Freeman, M.B., Grandas, O.H. (2007). Can screening items identify surgery patients at risk of limited health literacy? *Journal of Surgical Research*, 140(2), 208-13.

Wallace, L.S., Rogers, E.S., Roskos, S.E., Holiday, D.B., Weiss, B.D. (2006). Brief report: Screening items to identify patients with limited health literacy skills. *Journal of General Internal Medicine*, 21(8), 874-7.

Weiss, B.D., Reed, R., Kligman, E.W., Abyad, A. (1995). Literacy and performance on the Mini-Mental State Examination. *Journal of the American Geriatric Society*, 43(7), 807-10.

Wolf, M.S., Williams, M.V., Parker, R.M., Parikh, N.S., Nowlan, A.W., Baker, D.W. (2007). Patients' shame and attitudes toward discussing the results of literacy screening. *Journal of Health Communication*, 12(8), 721-32.

(7) Public Policy and Health Literacy

Davis, T.C., Gazmararian, J., Kennen, E.M. (2006). Approaches to improving health literacy: Lessons from the field. *Journal of Health Communication*, 11(6), 551-4.

Dees, R.H. (2007). Health literacy and autonomy. *American Journal of Bioethics*, 7(11), 22-3.

Gazmararian, J.A., Baker, D.W., Williams, M.V., Parker, R.M., Scott, T.L., Green, D.C., Fehrenbach, S. N., Ren, J., Koplan, J.P. (1999). Health literacy among Medicare enrollees in a managed care organization. *JAMA: Journal of the American Medical Association*, 281(6), 545-52.

Goldberg, D.S. (2007). Justice, health literacy and social epidemiology. *American Journal of Bioethics*, 7(11), 18-20.

Gordon, E.J., Wolf, M.S. (2007). Beyond the basics: designing a comprehensive response to low health literacy. *American Journal of Bioethics*, 7(11), 11-3.

Health literacy rated low in one third of Medicare managed care enrollees. (1999, April 15). *American Journal of Health System Pharmacy*, 56(8), 709-10.

Hibbard, J., Dubow, J. (1998). An assessment of Medicare beneficiaries' understanding of the differences between the traditional Medicare programs and HMOs [Internet]. Washington (DC): AARP, Public Policy Institute. (AARP publication; 9805). Available from http://research.aarp.org/health/9805_beneficiaries.pdf.

Hibbard, J.H., Slovic, P. (2003). Using a Screening Tool and Using Narratives to Help Support Medicare Beneficiary Choices: Final Report. Baltimore, MD: Centers for Medicare and Medicaid Services.

Howard, D.H., Gazmararian, J.A. (2005). The impact of low health literacy on the medical costs of Medicare managed care enrollees. *American Journal of Medicine*, 118(4), 317-27.

Howard, D.H., Sentell, T., Gazmararian, J.A. (2006). Impact of health literacy on socioeconomic and racial differences in health in an elderly population. *Journal of General Internal Medicine*, 21(8), 857-61.

Institute of Medicine. Health literacy: A prescription to end confusion. Available at www.iom.edu/CMS/3775/3827/19723.aspx

Kilker, K. (2000). Considering health literacy. *Issue Brief Center for Medicare Education*, 1(6), 1-8.

Lee, S.Y.D., Gazmararian, J.A., Arozulla, A.M. (2006). Health literacy and social support among elderly Medicare enrollees in a managed care plan. *Journal of Applied Gerontology*, 25(4), 324-37.

Lurie, N., Parker, R. (2007). Editorial: Moving health literacy from the individual to the community. *American Journal of Health Behavior*, Suppl 1, S6-7.

Miller, M.J., Degenholtz, H.B., Gazmararian, J.A., Lin, C.J., Ricci, E.M., Sereika, S.M. (2007). Identifying elderly at greatest risk of inadequate health literacy: A predictive model for population-health decision makers. *Research in Social and Administrative Pharmacy*, 3(1), 70-85.

Nutbeam, D. (2000, September 15). Health literacy as a public health goal: A challenge for contemporary health education and communication strategies in the 21st century. *Health Promotion International*, 15(3), 259-67.

Paasche-Orlow, M.K., Schillinger, D., Greene, S.M., Wagner, E.H. (2006). How health care systems can begin to address the challenge of limited literacy. *Journal of General Internal Medicine*, 21(8), 884-7.

Payne, J.G., Schulte, S.K. (2003). Mass media, public health, and achieving health literacy. *Journal of Health Communication*, 8(Suppl 1), 124-25.

Scott, T.L., Gazmararian, J.A., Williams, M.V., Baker, D.W. (2002, May). Health literacy and preventive health care use among Medicare enrollees in a managed care organization. *Medical Care*, 40(5), 395-404.

State Official's Guide to Health Literacy. (2003). Lexington, KY: The Council of State Governments.

Sudore, R.L., Mehta, K.M., Simonsick, E.M., Harris, T.B., Newman, A.B., Satterfield, S., Rosano, C., Rooks, R.N., Rubin, S.M., Ayonayon, H.N., Yaffe, K. (2006). Limited literacy in older people with disparities in health and healthcare access. *Journal of the American Geriatric Society*, 54(5), 770-6.

U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion. Communicating health: Priorities and strategies for progress. Available at www.odphp.osophs.dhhs.gov/projects/HealthComm/

Volandes, A.E., Paasche-Orlow, M.K. (2007). Health literacy, health inequality and a just healthcare system. *American Journal of Bioethics*, 7(11), 5-10.

(8) Preparing Health Professionals to Deal with Literacy and Aging

Bass, P.F., III, Wilson, J.F., Griffith, C.H., Barnett, D.R. (2002). Residents' ability to identify patients with poor literacy skills. *Academic Medicine*, 77(10), 1039-41.

Davis, T.C., Crouch, M.A., Long, S.W., Jackson, R.J., Bates, P., George, R.B., Bairnsfather, L.E. (1991). Rapid assessment of literacy levels of adult primary care patients. *Family Medicine*, 23(6), 433-5.

Harvard School of Public Health, Health Literacy Studies. Health literacy curricula. Available at www.hsph.harvard.edu/healthliteracy/curricula.html

Hussey, L.C. (1991). Overcoming the clinical barriers of low literacy and medication noncompliance among the elderly. *Journal of Gerontological Nursing*, 17(3), 27-9.

Institute for Safe Medication Practices. (2001, October 31). To promote understanding, assume every patient has a health literacy problem. ISMP Safety Alert. Available at www.ismp.org/Newsletters/acutecare/articles/20011031_2.asp

Kripalani, S., Weiss, B.D. (2006). Teaching about health literacy and clear communication. *Journal of General Internal Medicine*, 21(8), 888-90.

Kobylarz, F.A., Kairys, J., Stroebel, C., Crabtree, B.J. (2002). Addressing health literacy in the care of ethnically diverse older adults in a primary care setting. *Journal of the American Geriatric Society*, 50(4 Suppl 42), P83.

Kobylarz, F.A., Pomidor, A., Heath, J.M. (2006). SPEAK: A mnemonic tool for addressing health literacy concerns in geriatric clinical encounters. *Geriatrics*, 61(7), 20-6.

Loughrey, K., Mikalide, A. (2007) Health literacy: Implications for I & R/A support to consumer decision making [Powerpoint]. National Aging Information and Referral Support Center. Available at www.nasua.org/informationandreferral/2007symposiumppt.cfm#A3

Mayer, G.G., Villaire, M. (2007). *Health Literacy in Primary Care: A Clinician's Guide*. New York, N.Y.: Springer Publishing Co.

National Center for the Study of Adult Learning and Literacy. Skills for chronic disease management. Available at <http://www.ncsall.net/?id=1058>

North Eastern Ohio Universities, College of Medicine, Department of Family Medicine. Health literacy in patient care: Helping your patients understand [CD-ROM]. Available at www.neoucom.edu/audience/about/departments/FamMedicine

Prasauskas, R., Spoo, L. (2006). Literally improving patient outcomes. *Home Health Care Management and Practice*, 18(4), 270-1.

Roter, H.A., Bramble, J.D., Lee, B., Mucker, A., Kellner, V. (2000). The outpatient medical encounter and elder patients. *Clinics in Geriatric Medicine*, 16(1), 98-107.

Saha, S. (2006). Improving literacy as a means to reducing health disparities. *Journal of General Internal Medicine*, 21(8), 893-5.

Seligman, H.K., Wang, F.F., Palacios, J.L., Wilson, C.C., Daher, C., Piette, J.D., Schillinger, D. (2005). Physician notification of their diabetes patients' limited health literacy: A randomized controlled trial: Erratum. *Journal of General Internal Medicine*, 20(11), 1007.

University of Virginia Health System, School of Medicine Health Literacy Curriculum. Building a health literacy curriculum. Available at <http://www.healthsystem.virginia.edu/internet/som-hlc/home.cfm>

U.S. Department of Health and Human Services, Health Resources and Services Administration. Unified health communication 101: Addressing health literacy, cultural competency and limited English proficiency. Available at www.hrsa.gov/healthliteracy/training.htm

Wallace, L.S., Rogers, E.S., Roskos, S.E., Holiday, D.B., Weiss, B.D. (2006). Screening items to identify patients with limited health literacy skills. *Journal of General Internal Medicine*, 21(8), 874-7.

Williams, M.V. (2002). Recognizing and overcoming inadequate health literacy: A barrier to care. *Cleveland Clinic Journal of Medicine*, 69(5), 415-8.

(9) Resource Lists, Guides and Bibliographies

AMA Foundation. (2007, September 4). Health literacy. Available at www.ama-assn.org/ama/pub/category/8115.html

Articles about Health Literacy. Available at <http://www1.wfubmc.edu/NSWAHEC/Library/health+literacy+articles.htm>

Assessing Literacy Levels of Individuals. Available at <http://www1.wfubmc.edu/NSWAHEC/Library/Assessment+Tools.htm>

Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion. (1991, March). Literacy and health in the United States: Select annotations. Available at aspe.hhs.gov/pic/pdf/4895.pdf

Cutillie, C.C. (2007). Health literacy in geriatric patients: An integrative review of the literature. *Orthopaedic Nursing*, 26(1), 43-8.

Greenberg, J. An updated overview of medical and public health literature addressing literacy issues: An annotated bibliography of articles published after 2000. Available at www.hsph.harvard.edu/healthliteracy/lit_2000.html

Harvard School of Public Health. Health literacy studies related webpage links. Available at www.hsph.harvard.edu/healthliteracy/links.html

Institute of Medicine, Board on Neuroscience and Behavioral Health. (2006, February 10). Projects: Health literacy. Available from www.iom.edu/?id=3827&redirect=0

Jackson, R. (2005-2006). Health literacy: An introduction to the literature. *Journal of the Indiana Dental Association*, 84(4), 10-3.

National Cancer Institute (2005, September). How to evaluate health information on the internet: Questions and answers. Available at www.cancer.gov/cancertopics/factsheet/Information/internet

National Cancer Institute (1999, updated 2006). Simplification of informed consent documents: Bibliography. Available at www.nci.nih.gov/clinicaltrials/understanding/simplification-of-informed-consent-docs/page6

Potter, L., Martin, C. (2005, August). Fact sheets on health literacy. Available from www.chcs.org/publications3960/publications_show.htm?doc_id=291711

Rudd, R.E. Health literacy overview [Powerpoint]. Available at www.hsph.harvard.edu/healthliteracy/slides/sld001.htm

Rudd, R.E., Colton, T. (1998, August). An overview of medical and public health literature addressing literacy issues: An annotated bibliography. Available from healthliteracy.worlded.org/docs/annotatedbibliography/Bibliography/category6.pdf

Rudd, R.E., Colton, T., Schacht., R. (2000, January). An overview of medical and public health literature addressing literacy issues: An annotated bibliography. Available from www.hsph.harvard.edu/healthliteracy/lit_90_00.html

Rudd, R.E., Moeykens, B.A., Colton, T.C. (1999). Health and literacy: A review of medical and public health literature. In Comings, J., Garners, S.B., Smith, C. (Eds.). *Annual review of adult learning and literacy*. New York, NY: Jossey-Bass. Available at www.hsph.harvard.edu/healthliteracy/litreview_final.pdf

Selden, C., Zorn, M.E., Parker, R., Ratzan, S.C. Current bibliographies in medicine 2000-1: Health literacy. Available at www.nlm.nih.gov/pubs/cbm/hliteracy.html .

University of Virginia Health System, School of Medicine Health Literacy Curriculum. Health literacy bibliography. Available at <http://www.healthsystem.virginia.edu/internet/som-hlc/Bibliography.cfm>

U.S. National Library of Medicine, National Institutes of Health. Understanding health literacy and its barriers. Available at www.nlm.nih.gov/pubs/cbm/healthliteracybarriers.html

Walsh, D., Shaw, D.G. (2000). The design of written information for cardiac patients: A review of the literature. *Journal of Clinical Nursing*, 9(5), 658-67.

Websites & Online Videos about Health Literacy. Available at www1.wfubmc.edu/NWAHEC/Library?Websites+about+Health+Literacy.htm

Zobel, E., Rowe, K., & Gomez-Mandic, C. (2003). An updated overview of medical and public health literature addressing literacy issues: An annotated bibliography of articles published in 2002. Available from www.hsph.harvard.edu/healthliteracy/lit_2002.html.

Zorn, M., Allen, M.P., Horowitz, A.M. Current bibliographies in medicine 2004-1: Understanding health literacy and its barriers. Available at: www.nlm.nih.gov/pubs/cbm/healthliteracybarriers.html.

Zorn, M., Ratzan, S. Current bibliographies in medicine 2000-7: Health risk communication. Available at www.nlm.nih.gov/pubs/cbm/health_risk_communication.html