

Interdisciplinary Transitions in Responsibility for Aging Care

Resource List

Integrating Systems

Alkema, G.E., Shannon, G.R., & Wilber, K.H. (2003, Jul-Sep). Using interagency collaboration to serve older adults with chronic care needs: The Care Advocate Program. *Family and Community Health*, 26(3), 221-9.

American Association of Community Psychiatrists. (2001, August 28). AACP continuity of care guidelines: Best practices for managing transitions between levels of care (pdf format).

Anderson, G., & Knickman, J.R. (2001, Nov-Dec). Changing the chronic care system to meet people's needs. *Health Affairs*, 20(6), 146-160.

Applebaum, R., Straker, J., & Mehadizadeh, S., et al. (2002, Spring). Using high-intensity care management to integrate acute and long-term care services: Substitute for large scale system reform? *Care Management Journals*, 3(3), 113-119.

Bartels, S.J. (2004, Dec). Caring for the whole person: Integrated health care for older adults with severe mental illness and medical comorbidity. *Journal of the American Geriatric Society*, 52(12, Supp.), S2409-S257.

Bartels, S.J. (2003, Sep-Oct). Improving the system of care for older adults with mental illness in the United States. *American Journal of Geriatric Psychiatry*, 11(5), 486-497.

Bolda, E.J., & Seavey, J.W. (2001, Dec). Rural long-term care integration: Developing service capacity. *Journal of Applied Gerontology*, 20(4), 426-457.

Broockvar, K., & Vladeck, B.C. (2004, May). Improving the quality of transitional care for persons with complex care needs. *Journal of the American Geriatrics Society*, 52(5), 855-6.

Byock, I.R. (2001, Dec). End-of-life care: A public health crisis and an opportunity for managed care. *American Journal of Managed Care*, 7(12), 1123-1132.

Coburn, A.F. (2001, Dec). Models for integrating and managing acute and long-term care services in rural areas. *Journal of Applied Gerontology*, 20(4), 386-408.

Coleman, E.A. (2003, Apr). Falling through the cracks: Challenges and opportunities for improving transitional care for persons with continuous complex care needs. *Journal of the American Geriatrics Society*, 51(4), 549-55.

Coleman, E.A., Min, S.J., Chomiak, A., & et al. (2004, Oct). Posthospital care transitions: Patterns, complications, and risk identification. *Health Services Research*, 39(5), 1449-65.

Coleman, E., Smith, J., & Frank, J., et al. (2002, June 1). Development and testing of a measure designed to assess the quality of care transitions. *International Journal of Integrated Care*, 2.

- Coleman, E.A., Smith, J.D., & Frank, J.C., et al. (2004, Nov). Preparing patients and caregivers to participate in care delivered across settings: The care transitions intervention. *Journal of the American Geriatrics Society*, 52(11), 1817-1825.
- Coppola, S., Rosemond, C.A., & Greger, H.N., et al. (2002, Mar). Arena assessment: Evolution of teamwork for frail older adults. *Topics in Geriatric Rehabilitation*, 17(3), 13-28.
- Dunn, S.A., Sobl, K.R., & Marx, S. (2001, Feb). Geriatric case management in an integrated care system. *Journal of Nursing Administration*, 31(2), 60-62.
- Dyer, C.B., Hyer, K., & Feldt, K.S., et al. Frail older patient care by interdisciplinary teams: A primer for generalists. *Gerontology and Geriatrics Education*, 24(2), 51-62.
- Enguidanos, S.M., Gibbs, Nancy, E., & Simmons, W.J., et al. (2003, May). Kaiser Permanente community partners project: Improving geriatric care management. *Journal of the American Geriatric Society*, 51(5), 710-714.
- Fisher, H.M., & Raphael, T.G. (2003, Feb). Managed long-term care integration through care coordination. *Journal of Aging and Health*, 15(1), 223-245.
- Gong, J., & Greenwood, R. (2003, May). Business side of PACE. *Nursing Homes and Long-Term Care Management*, 52(5), 60+.
- Gong, J., & Greenwood, R. (2003, June). PACE community care and more. *Provider*, 29(6), 40-42+.
- Gong, J., & McCarthy, S. (2000, May). Why should nursing homes become PACE providers? Part 1. *Nursing Homes Long-Term Care Management*, 49(5), 48+.
- Goss, D.L., Temkin, G.H., & Kunitz, S., et al. (2004). Growing pains of integrated health care for the elderly: Lessons from the expansion of PACE. *Milbank Quarterly*, 82(2), 257-282.
- Greenwood, R. (2001). PACE model. *CME Issue Brief*, 2(10), 1-8.
- Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part I: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.
- Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part II: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.
- Kane, R.J., Homyak, P., & Bershadsky, B., et al. (2002, April). Consumer responses to the Wisconsin Partnership Program for elder persons: A variation on the PACE model. *Journals of Gerontology: Series A: Biological Sciences and Medical Sciences*, 57A(4), M250-M258.
- Kettl, P. (2003, Jan). Managing Alzheimer's Disease in the new health care economy. *Administration and Policy in Mental Health*, 30(3), 267-273.
- Kuder, L.C., Beaulieu, J., & Rowles, G.D. (2001, Dec). State and local initiatives and research questions for rural long-term care models. *Journal of Applied Gerontology*, 20(4), 471-479.

Lawler, K. (2001, Oct). Aging in place: Coordinating housing and health care provision for America's growing elderly population. Harvard University; Cambridge, MA; Washington D.C.: Joint Center for Housing Studies, Graduate School of Design and John F. Kennedy School of Government.

Laditka, S.B., & Jenkins, C.L. (2000, Nov). Enhancing inter-network cooperation among organizations providing mental health services to older persons. *Administration and Policy in Mental Health*, 28(2), 75-89.

Lee, B. (2001, Fall). Challenges facing case management in a changing social environment. *Case Management Journals*, 3(1), 20-24.

Lee, M.A., Brummel, S.K., & Meyer, J., & et al. (2000, Oct). Physician Orders for Life-Sustaining Treatment (POLST): Outcomes in a PACE program. *Journal of the American Geriatric Society*, 48(10), 1219-1225.

Luetz, W.N., Capitman, J., & Green, C.A. (2001). Limited entitlement for community care: How members use services. *Journal of Aging and Social Policy*, 12(3), 43-64.

Luetz, W.N., Greenlick, M.R., & Nonnenkamp, L. (2003). *Linking medical care and community services: Practical models for bridging the gap*. New York, N.Y.: Springer Pub.

Lynch, M., Estes, C.L., & Hernandez, M. (2005, April). Chronic care initiatives for the elderly: Can they bridge the gerontology-medicine gap? *Journal of Applied Gerontology*, 24 (2), 108-124.

Magilvy, J.K., & Congdon, J.G. (2000, Sep-Oct). The crisis nature of health care transitions for rural older adults. *Public Health Nursing*, 17(5), 336-45.

Master, R.J., & Eng, C. (2001, Nov-Dec). Integrating acute and long-term care for high-cost populations. *Health Affairs*, 20(6), 161-172.

Miller, E.A. (2001). *Federal and state initiatives to integrate acute and long-term care: Issues and profiles*. Huntington, N.Y.: Novinka Books.

Mollica, R. (2003, Feb). Coordinating services across the continuum of health, housing and supportive services. *Journal of Aging and Health*, 15(1), 165-188.

Mui, A.C. (2001). Program of All-Inclusive Care for the Elderly (PACE): An innovative long-term care model in the United States. *Journal of Aging and Social Policy*, 13(2-3), 53-67.

Nadash, P. (2004, Oct). Two models of managed long-term care: Comparing PACE with a Medicaid-only plan. *Gerontologist*, 44(5), 644-654.

Parry, C., Coleman, E.A., & Smith, J.D., et al. (2003). The care transitions intervention: A patient-centered approach to ensuring effective transfers between sites of geriatric care. *Home Health Care Services Quarterly*, 22(3), 1-17.

Peters, P., Fleuren, M., & Wijkkel, D. (1997). The quality of the discharge planning process: The effect of a liaison nurse. *International Journal of Quality Health Care*, 9(4), 283-287.

Pierce, C.A. (2002, May-June). Program of All-Inclusive Care for the Elderly in 2002. *Geriatric Nursing*, 23(3), 173-174.

Roy, M.J., Herbers, J.E., & Seidman, A., et al. (2003, May). Improving patient satisfaction with the transfer of care. A randomized controlled trial. *Journal of General Internal Medicine*, 18(5), 364-9.

Stoesz, D. (2002). Age concerns: Innovation through care management. *Journal of Aging and Social Policy*, 14(3-4), 245-260.

Tichawa, U. (2002, Jan). Creating a continuum of care for elderly individuals. *Journal of Gerontological Nursing*, 28(1), 46-52.

University of Colorado at Denver and Health Sciences Center. Assessing the quality of preparation for post-hospital care from the patient's perspective: The Care Transitions Measure. <http://www.uchsc.edu/hcpr/summary/ctm.htm> .

United States Commission on Affordable Housing and Health Facility Needs for Seniors in the 21st Century. (2002, June 30). *Quiet crisis in America: A report to Congress*. Washington, D.C.

Vladeck, F. (2004). *Good place to grow old: New York's model for NORC supportive service programs*. New York, N.Y.: United Hospital Fund of New York.

Waszynski, C.M., Murakami, W., & Lewis, M. (2000, Fall). Community care management. *Advanced practice nurses as care managers*. *Care Management Journal*, 2(3), 148-53.

Weiner, M., Callahan, C.M., & Tierney, W.M., et al. (2003, Sep. 2). Using information technology to improve the health care of older adults. *Annals of Internal Medicine*, 139(5, Part 2), 430-436.

Hospitals/Acute Care

Aizen, E., Swartman, R., & Clarfield, A.M. (2001, Oct). Hospitalization of nursing home residents in an acute-care geriatric department: Direct versus emergency room admission. *The Israel Medical Association Journal*, 3(10), 734-8.

Bellelli, G., Lucchi, E., & Magnifico, F., et al. (2005, Aug). Rehospitalization and transfers to nursing facilities in elderly patients after hip fracture surgery. *Journal of the American Geriatric Society*, 53(8), 1443-5.

Beresford, L. (2001). *Hospital-hospice partnerships in palliative care: Creating a continuum of service*. Alexandria, VA.: National and Palliative Care Organization.

Bowles, K.H. (2000, Nov). Vulnerable links in the home care referral process. *Caring*, 19(11), 34-7.

Bowles, K.H., Foust, J.B., & Naylor, M.D. (2003, Aug). Hospital discharge referral decision making: A multidisciplinary perspective. *Applied Nursing Research*, 16(3), 134-43.

Broockvar, K., Fishman, E., & Kyriacou, C.K., et al. (2004, March 8). Adverse events due to the discontinuations in drug use and dose changes in patients transferred between acute and long-term care facilities. *Archives of Internal Medicine*, 164(5), 545-50.

Bull, M.J., Hansen, H.E., & Gross, C.R. (2000). Differences in family caregiver outcomes by their level of involvement in discharge planning. *Applied Nursing Research*, 13(2), 76-82.

Bull, M.J., Lou, D., & Maruyama, G.M. (2000, Summer). Measuring continuity of elders' posthospital care. *Journal of Nursing Measurement*, 8(1), 41-60.

Bull, M.J., Maruyama, G.M., & Luo, D. (1995). Testing a model for posthospital transition of family caregivers for elderly persons. *Nursing Research*, 44(3), 132-138.

Coleman, E.A., & Mahoney, E., & Parry, C. (2005, Mar). Assessing the quality of preparation for posthospital care from the patient's perspective: The care transitions measure. *Medical Care*, 43(3), 246-55.

Coleman, E.A., Min, S.J., Chomiak, A., & et al. (2004, Oct). Posthospital care transitions: Patterns, complications, and risk identification. *Health Services Research*, 39(5), 1449-65.

Coleman, E., Smith, J., & Frank, J., et al. (2002, June 1). Development and testing of a measure designed to assess the quality of care transitions. *International Journal of Integrated Care*, 2.

Coleman, E.A., Smith, J.D., & Frank, J.C., et al. (2004, Nov). Preparing patients and caregivers to participate in care delivered across settings: The care transitions intervention. *Journal of the American Geriatrics Society*, 52(11), 1817-1825.

Cortes, T.A., Wexler, S., & Fitzpatrick, J.J. (2004, Jun). The transition of elderly patients between hospitals and nursing homes. Improving nurse-to-nurse communication. *Journal of Gerontological Nursing*, 30(6), 10-5.

Crotty, M., Rowett, D., & Spurling, L., et al. (2004, Dec). Does the addition of a pharmacist transition coordinator improve evidence-based medication management and health outcomes in older adults moving from the hospital to a long-term care facility? Results of a randomized, controlled trial. *American Journal of Geriatric Pharmacotherapy*, 2(4), 257-64.

e-Ethics (2003, July). Ethical issues in discharging the frail, elderly patient. http://www.parkridgecenter.org/ethics_july03.html.

Eveillard, M., Quenon, J.L., & Rufat, P., et al. (2001, Nov). Association between hospital-acquired infections and patients' transfers. *Infection Control and Hospital Epidemiology*, 22(11), 693-6.

Gilhooley, C.J. (2005) Priority focus process and tracer methodology. Joint Commission on the Accreditation of Healthcare Organizations.

Grimmer, K.A., & Moss, J. (2001). The development, validity, and application of a new instrument to assess the quality of discharge planning activities from the community perspective. *International Journal of Healthcare*, 13(2), 109-116.

Harrison, M.B., Brown, G.B., & Roberts, J., et al. (2002, Apr). Quality of life of individuals with heart failure: A randomized trial of the effectiveness of two models of hospital-to-home transitions. *Medical Care*, 40(4), 271-82.

Hruby, M., Pantilat, S.Z., & Lo, B. (2001, Dec). How do patients view the role of the primary care physician in inpatient care?, 21S-25S.

Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part I: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.

Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part II: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.

Lahn, M., Friedman, B., & Bijur, P., et al. (2001, Dec). Advance directives in skilled nursing facility residents transferred to emergency departments. *Academic Emergency Medicine*, 8(12), 1158-62.

LeClerc, C.M., Wells, D.L., & Craig, D., et al. (2002). Falling short of the mark: Tales of life after hospital discharge. *Clinical Nursing Research*, 9(9), 242-63.

Lee, M.A., Brummel, S.K., & Meyer, J., & et al. (2000, Oct). Physician Orders for Life-Sustaining Treatment (POLST): Outcomes in a PACE program. *Journal of the American Geriatric Society*, 48(10), 1219-1225.

Liu, A.L., & Taylor, D.M. (2002, Dec). Adverse events and complications among patients admitted to hospital in the home directly from the emergency department. *Emergency Medicine*, 14(4), 400-5.

McKain, S., Henderson, A., & Kuys, S., et al. (2005, Jul). Exploration of patients' needs for information on arrival at a geriatric and rehabilitation unit. *Journal of Clinical Nursing*, 14(6), 704-10.

McKinney, A.A., & Deeny, P. (2002, Dec). Leaving the intensive care unit: A phenomenological study of the patients' experience. *Intensive Critical Care Nursing*, 18(6), 320-31.

Mor, V., Papandonatos, G., & Miller, S.C. (2005, Feb). End-of-life hospitalization for African American and non-Latino white nursing home residents: Variation by race and a facility's racial composition. *Journal of Palliative Medicine*, 8(1), 58-68.

Murtaugh, C.M., & Litke, A. (2002, Mar). Transitions through postacute and long-term care settings: Patterns of use and outcomes for a national cohort of elders. *Medical Care*, 40(3), 227-36.

Nasraway, S.A., Button, G.J., & Rand, W.M., et al. (2000, Jan). Survivors of catastrophic illness: Outcome after direct transfers from intensive care to extended care facilities. *Critical Care Medicine*, 28(1), 19-25.

Naylor, M.D. (2000). A decade of transitional care research with hospitalized elders. *Journal of Cardiovascular Nursing*, 14(3), 1-14.

Naylor, M.D., & Browles, K.H., & Brooten, D. (2000). Patient problems and advance practice nurse interventions during transitional care. *Public Health Nursing*, 17(2), 94-102.

Naylor, M.D., & Brooten, D., & Campbell, R., et al. (1999). Comprehensive follow-up of hospitalized elders. *Journal of the American Medical Association*, 281(7), 613-620.

Naylor, M.D., & McCauley, K. (1999). The effects of discharge planning and home follow-up intervention on elders hospitalized with common medical and surgical conditions. *Journal of Cardiovascular Nursing*, 14(1), 999-1006.

Naylor, M.D., & Roe-Prior, P. (1999). Transitions between acute and long term care. *Advances in Long Term Care*. Volume IV. New York: Springer, 1-22.

New research establishes importance of specialty care after discharge for an MI. (2003, Apr). *Disease Management Advisor*, 9(4), 61-3, 50.

Odell, M. (2000, Feb). The patient's thoughts and feelings about their transfer from intensive care to the general ward. *Journal of Advanced Nursing*, 31(2), 322-9.

Pauls, M.A., Singer, P.A., & Dubinsky, I. (2001, Jul). Communicating advance directives from long-term care facilities to emergency departments. *Journal of Emergency Medicine*, 21(1), 83-9

Pekmezaris, R., Breuer, L., & Zaballero, A., et al. (2004, Feb). Predictors of site of death of end-of-life patients: The importance of specificity in advance directives. *Journal of Palliative Medicine*, 7(1), 9-17.

Purdy, W. (2002, Nov-Dec). Nursing home to emergency room? The troubling last transfer. *Hastings Center Report*, 32(6), 46-8.

Roy, C.L., Poon, E.G., & Karson, A.S., et al. (2005, July 19). Patient safety concerns arising from test results that return after hospital discharge. *Annals of Internal Medicine*, 143(2), 121-128.

Sales, A.E., Pineros, S.L., & Magid, D.J., et al. (2005, Jan). The association between clinical integration of care and transfer of veterans with acute coronary syndromes from primary care VHA hospitals. *BMC Health Services Research*, 5(1), 2

Saliba, D., Kingston, R., & Buchanan, J., et al. Appropriateness of the decision to transfer nursing facility residents to the hospital. *Journal of the American Geriatric Association*, 48(2), 154-63.

Sheehan, M. (2004, Nov). Palliative care: Hospice and hospital collaboration. *Caring*, 23(11), 38-41.

Terrell, K.M., Brizendine, E.J., & Bean, W.F., et al. (2005, Feb). An extended care facility-to-emergency department transfer form improves communication. *Academic Emergency Medicine*, 12(2), 114-8.

Tracers: They're not just for accreditation surveys.(2005, Aug). *ED Management*, 17(8), 88-9

Turnbull, G.B. (2002, Dec). Connecting the disconnect between hospital and home. *Ostomy Wound Management*, 48(12), 14, 16.

Van Walraven, C., Mamdani, M., & Fang, J., et al. (2004, Jun). Continuity of care and patient outcomes after hospital discharge. *Journal of General Internal Medicine*, 19(6), 624-31.

Van Walraven, C., Seth, R., & Austin, P.C., et al. (2002, Mar). Effect of discharge summary availability during post-discharge visits on hospital readmission. *Journal of General Internal Medicine*, 17(3), 86-92.

Young, M.P., Gooder, V.M., & McBridger, K., et al. (2003, Feb). Inpatient transfers to the intensive care unit: Delays are associated with increased mortality and morbidity. *Journal of General Internal Medicine*, 18(2), 77-83.

University of Colorado at Denver and Health Sciences Center. Assessing the quality of preparation for post-hospital care from the patient's perspective: The Care Transitions Measure.
<http://www.uchsc.edu/hcpr/summary/ctm.htm>

Primary Care/Outpatient Medicine

Dyer, C.B., Hyer, K., & Feldt, K.S., et al. Frail older patient care by interdisciplinary teams: A primer for generalists. *Gerontology and Geriatrics Education*, 24(2), 51-62.

Fortinsky, R.H., Unson, C.G., & Garcia, R.I. (2002, Jun). Helping family caregivers by linking primary care physicians with community-based dementia care services: The Alzheimer's Service Coordination Plan. *Dementia*, 1(2), 227-240.

Gandhi, T.K. (2005, Mar 1). Fumbled handoffs: One dropped ball after another. *Annals of Internal Medicine*, 142(5), 352-8.

Hruby, M., Pantilat, S.Z., & Lo, B. (2001, Dec). How do patients view the role of the primary care physician in inpatient care?, 21S-25S.

Kane, R.L., Homyak, P., & Bershadsky, B., et al. (2002, Apr). Consumer responses to the Wisconsin Partnership Program for elderly persons: A variation on the PACE model. *Journals of Gerontology: Series A - Biological Sciences and Medical Sciences*, 57A(4), M250-M258.

Laditka, S.B., Jenkins, C.L., & Trevisani, G., et al. (2001). Doctor on the patient's turf: Assessing patient satisfaction with physician home visit programs. *Home Health Care Services Quarterly*, 19(4), 1-16.

New research establishes importance of specialty care after discharge for an MI. (2003, Apr). *Disease Management Advisor*, 9(4), 61-3, 50.

Roy, M.J., Herbers, J.E., & Seidman, A., et al. (2003, May). Improving patient satisfaction with the transfer of care. A randomized controlled trial. *Journal of General Internal Medicine*, 18(5), 364-9.

Van Walraven, C., Mamdani, M., & Fang, J., et al. (2004, Jun). Continuity of care and patient outcomes after hospital discharge. *Journal of General Internal Medicine*, 19(6), 624-31.

Van Walraven, C., Seth, R., & Austin, P.C., et al. (2002, Mar). Effect of discharge summary availability during post-discharge visits on hospital readmission. *Journal of General Internal Medicine*, 17(3), 86-92.

Winn, P.A., & Dentino, A.N. (2004 May-Jun). Quality palliative care in long-term care settings. *Journal of the American Medical Directors Association*, 5(3), 197-206.

Home Care/Supportive Services

Aneshensel, C.S. (2000, May). The transition from home to nursing home: Mortality among people with dementia. *Journal of Gerontological Nursing*, 27(11), 10-18.

Applebaum, R., Straker, J., & Mehadizadeh, S., et al. (2002, Spring). Using high-intensity care management to integrate acute and long-term care services: Substitute for large scale system reform? *Care Management Journals*, 3(3), 113-119.

Bellome, J.A., & Bryan, P. (2003, Aug). Setting the standard for community-based care and creating a comprehensive continuum of care. *Caring*, 22(8), 10-11.

Bowles, K.H. (2000, Nov). Vulnerable links in the home care referral process. *Caring*, 19(11), 34-7.

Bowles, K.H., Foust, J.B., & Naylor, M.D. (2003, Aug). Hospital discharge referral decision making: A multidisciplinary perspective. *Applied Nursing Research*, 16(3), 134-43.

Bull, M.J., Hansen, H.E., & Gross, C.R. (2000). Differences in family caregiver outcomes by their level of involvement in discharge planning. *Applied Nursing Research*, 13(2), 76-82.

Bull, M.J., Lou, D., & Maruyama, G.M. (2000, Summer). Measuring continuity of elders' posthospital care. *Journal of Nursing Measurement*, 8(1), 41-60.

Bull, M.J., Maruyama, G.M., & Luo, D. (1995). Testing a model for posthospital transition of family caregivers for elderly persons. *Nursing Research*, 44(3), 132-138.

e-Ethics (2003, July). Ethical issues in discharging the frail, elderly patient. http://www.parkridgecenter.org/ethics_july03.html.

Fisher, H.M., & Raphael, T.G. (2003, Feb). Managed long-term care integration through care coordination. *Journal of Aging and Health*, 15(1), 223-245.

Fortinsky, R.H., Unson, C.G., & Garcia, R.I. (2002, Jun). Helping family caregivers by linking primary care physicians with community-based dementia care services: The Alzheimer's Service Coordination Plan. *Dementia*, 1(2), 227-240.

Gorshe, N. (2000, Jun). Supporting aging in place and assisted living through home care. *Caring*, 19(6), 20-22.

Grimmer, K.A., & Moss, J. (2001). The development, validity, and application of a new instrument to assess the quality of discharge planning activities from the community perspective. *International Journal of Healthcare*, 13(2), 109-116.

Hayley, D.C., Muir, J.C., & Stocking, C., et al. (2001, Nov-Dec). Not ready for hospice: Characteristics of patients in a pre-hospice program. *American Journal of Hospice and Palliative Care*, 18(6), 377-82.

Laditka, S.B., Jenkins, C.L., & Trevisani, G., et al. (2001). Doctor on the patient's turf: Assessing patient satisfaction with physician home visit programs. *Home Health Care Services Quarterly*, 19(4), 1-16.

Lawler, K. (2001, Oct). Aging in place: Coordinating housing and health care provision for America's growing elderly population. Harvard University; Cambridge, MA; Washington D.C.: Joint Center for Housing Studies, Graduate School of Design and John F. Kennedy School of Government.

Lee, B. (2001, Fall). Challenges facing case management in a changing social environment. *Case Management Journals*, 3(1), 20-24.

Luetz, W.N., Greenlick, M.R., & Nonnenkamp, L. (2003). Linking medical care and community services: Practical models for bridging the gap. New York, N.Y.: Springer Pub.

Liu, A.L., & Taylor, D.M. (2002, Dec). Adverse events and complications among patients admitted to hospital in the home directly from the emergency department. *Emergency Medicine*, 14(4), 400-5.

Magilvy, J.K., & Congdon, J.G. (2000, Sep-Oct). The crisis nature of health care transitions for rural older adults. *Public Health Nursing*, 17(5), 336-45.

Mollica, R. (2003, Feb). Coordinating services across the continuum of health, housing and supportive services. *Journal of Aging and Health*, 15(1), 165-188.

Murtaugh, C.M., & Litke, A. (2002, Mar). Transitions through postacute and long-term care settings: Patterns of use and outcomes for a national cohort of elders. *Medical Care*, 40(3), 227-36.

Naylor, M.D., & Roe-Prior, P. (1999). Transitions between acute and long term care. *Advances in Long Term Care*. Volume IV. New York: Springer, 1-22.

Porter, E.J. (2001, Fall). An older widow's transition from home care to assisted living. *Care Management Journals*, 3(1), 25-32.

Roy, C.L., Poon, E.G., & Karson, A.S., et al. (2005, July 19). Patient safety concerns arising from test results that return after hospital discharge. *Annals of Internal Medicine*, 143(2), 121-128.

Turnbull, G.B. (2002, Dec). Connecting the disconnect between hospital and home. *Ostomy Wound Management*, 48(12), 14, 16.

United States Commission on Affordable Housing and Health Facility Needs for Seniors in the 21st Century. (2002, June 30). *Quiet crisis in America: A report to Congress*. Washington, D.C.

Vladeck, F. (2004). *Good place to grow old: New York's model for NORC supportive service programs*. New York, N.Y.: United Hospital Fund of New York.

Nursing Homes

Aneshensel, C.S. (2000, May). The transition from home to nursing home: Mortality among people with dementia. *Journal of Gerontological Nursing*, 27(11), 10-18.

Aizen, E., Swartman, R., & Clarfield, A.M. (2001, Oct). Hospitalization of nursing home residents in an acute-care geriatric department: Direct versus emergency room admission. *The Israel Medical Association Journal*, 3(10), 734-8.

Bellelli, G., Lucchi, E., & Magnifico, F., et al. (2005, Aug). Rehospitalization and transfers to nursing facilities in elderly patients after hip fracture surgery. *Journal of the American Geriatric Society*, 53(8), 1443-5.

Boockvar, K., Fishman, E., & Kyriacou, C.K., et al. (2004, March 8). Adverse events due to the discontinuations in drug use and dose changes in patients transferred between acute and long-term care facilities. *Archives of Internal Medicine*, 164(5), 545-50.

Cortes, T.A., Wexler, S., & Fitzpatrick, J.J. (2004, Jun). Transition of elderly patients between hospitals and nursing homes. Improving nurse-to-nurse communication. *Journal of Gerontological Nursing*, 30(6), 10-5.

Crotty, M., Rowett, D., & Spurling, L., et al. (2004, Dec). Does the addition of a pharmacist transition coordinator improve evidence-based medication management and health outcomes in older adults moving from the hospital to a long-term care facility? Results of a randomized, controlled trial. *American Journal of Geriatric Pharmacotherapy*, 2(4), 257-64.

Gorshe, N. (2000, Jun). Supporting aging in place and assisted living through home care. *Caring*, 19(6), 20-22.

Hayley, D.C., Muir, J.C., & Stocking, C., et al. (2001, Nov-Dec). Not ready for hospice: Characteristics of patients in a pre-hospice program. *American Journal of Hospice and Palliative Care*, 18(6), 377-82.

Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part I: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.

- Jackson, B., Swanson, C., & Hicks, L.E., et al. (2000, Jan-Feb). Bridge of continuity from hospital to nursing home - part II: A proactive approach to reduce relocation stress syndrome in the elderly. *Continuum Society for Social Work Leadership in Health Care*, 20(1), 3-8.
- Lahn, M., Friedman, B., & Bijur, P., et al. (2001, Dec). Advance directives in skilled nursing facility residents transferred to emergency departments. *Academic Emergency Medicine*, 8(12), 1158-62.
- Mallick, M.J., & Whipple, T.W. (2000, Mar-Apr). Validity of the nursing diagnosis of relocation stress syndrome. *Nursing Research*, 49(2), 97-100
- McKain, S., Henderson, A., & Kuys, S., et al. (2005, Jul). Exploration of patients' needs for information on arrival at a geriatric and rehabilitation unit. *Journal of Clinical Nursing*, 14(6), 704-10.
- Meehan, T., Robertson, S., & Stedman, T., & et al (2004, Nov-Dec). Outcomes for elderly patients with mental illness following relocation from a stand-alone psychiatric hospital to community-based extended care units. *Australian and New Zealand Journal of Psychiatry*, 38(11-12), 948-52.
- Mirotnik, J., & Kamp, L.L. (2000, Oct). Cognitive status and relocation stress: A test of the vulnerability hypothesis. *Gerontologist*, 40(5), 531-9.
- Mor, V., Papandonatos, G., & Miller, S.C. (2005, Feb). End-of-life hospitalization for African American and non-Latino white nursing home residents: Variation by race and a facility's racial composition. *Journal of Palliative Medicine*, 8(1), 58-68.
- Murtaugh, C.M., & Litke, A. (2002, Mar). Transitions through postacute and long-term care settings: Patterns of use and outcomes for a national cohort of elders. *Medical Care*, 40(3), 227-36.
- Nasraway, S.A., Button, G.J., & Rand, W.M., et al. (2000, Jan). Survivors of catastrophic illness: Outcome after direct transfers from intensive care to extended care facilities. *Critical Care Medicine*, 28(1), 19-25.
- Naylor, M.D., & Brooten, D., & Campbell, R., et al. (1999). Comprehensive follow-up of hospitalized elders. *Journal of the American Medical Association*, 281(7), 613-620.
- Naylor, M.D., & Roe-Prior, P. (1999). Transitions between acute and long term care. *Advances in Long Term Care*. Volume IV. New York: Springer, 1-22.
- Pauls, M.A., Singer, P.A., & Dubinsky, I. (2001, Jul). Communicating advance directives from long-term care facilities to emergency departments. *Journal of Emergency Medicine*, 21(1), 83-9.
- Porter, E.J. (2001, Fall). An older widow's transition from home care to assisted living. *Care Management Journals*, 3(1), 25-32.
- Purdy, W. (2002, Nov-Dec). Nursing home to emergency room? The troubling last transfer. *Hastings Center Report*, 32(6), 46-8.
- Saliba, D., Kingston, R., & Buchanan, J., et al. Appropriateness of the decision to transfer nursing facility residents to the hospital. *Journal of the American Geriatric Association*, 48(2), 154-63.
- Terrell, K.M., Brizendine, E.J., & Bean, W.F., et al. (2005, Feb). An extended care facility-to-emergency department transfer form improves communication. *Academic Emergency Medicine*, 12(2), 114-8.

Winn, P.A., & Dentino, A.N. (2004 May-Jun). Quality palliative care in long-term care settings. *Journal of the American Medical Directors Association*, 5(3), 197-206.

Hospice and Palliative Care

Beresford, L. (2001). Hospital-hospice partnerships in palliative care: Creating a continuum of service. Alexandria, VA.: National and Palliative Care Organization.

Byock, I.R. (2001, Dec). End-of-life care: A public health crisis and an opportunity for managed care. *American Journal of Managed Care*, 7(12), 1123-1132.

Hayley, D.C., Muir, J.C., & Stocking, C., et al. (2001, Nov-Dec). Not ready for hospice: Characteristics of patients in a pre-hospice program. *American Journal of Hospice and Palliative Care*, 18(6), 377-82.

Pekmezaris, R., Breuer, L., & Zaballero, A., et al. (2004, Feb). Predictors of site of death of end-of-life patients: The importance of specificity in advance directives. *Journal of Palliative Medicine*, 7(1), 9-17.

Sheehan, M. (2004, Nov). Palliative care: Hospice and hospital collaboration. *Caring*, 23(11), 38-41.

Winn, P.A., & Dentino, A.N. (2004 May-Jun). Quality palliative care in long-term care settings. *Journal of the American Medical Directors Association*, 5(3), 197-206.

Rural Health Care

Bolda, E.J., & Seavey, J.W. (2001, Dec). Rural long-term care integration: Developing service capacity. *Journal of Applied Gerontology*, 20(4), 426-457.

Coburn, A.F. (2001, Dec). Models for integrating and managing acute and long-term care services in rural areas. *Journal of Applied Gerontology*, 20(4), 386-408.

Kuder, L.C., Beaulieu, J., & Rowles, G.D. (2001, Dec). State and local initiatives and research questions for rural long-term care models. *Journal of Applied Gerontology*, 20(4), 471-479.

Magilvy, J.K., & Congdon, J.G. (2000, Sep-Oct). The crisis nature of health care transitions for rural older adults. *Public Health Nursing*, 17(5), 336-45.

Mental Health/Dementia

Aneshensel, C.S. (2000, May). The transition from home to nursing home: Mortality among people with dementia. *Journal of Gerontological Nursing*, 27(11), 10-18.

Bartels, S.J. (2004, Dec). Caring for the whole person: Integrated health care for older adults with severe mental illness and medical comorbidity. *Journal of the American Geriatric Society*, 52(12, Supp.), S2409-S257.

Bartels, S.J. (2003, Sep-Oct). Improving the system of care for older adults with mental illness in the United States. *American Journal of Geriatric Psychiatry*, 11(5), 486-497.

Fortinsky, R.H., Unson, C.G., & Garcia, R.I. (2002, Jun). Helping family caregivers by linking primary care physicians with community-based dementia care services: The Alzheimer's Service Coordination Plan. *Dementia*, 1(2), 227-240.

Kettl, P. (2003, Jan). Managing Alzheimer's Disease in the new health care economy. *Administration and Policy in Mental Health*, 30(3), 267-273.

Laditka, S.B., & Jenkins, C.L. (2000, Nov). Enhancing inter-network cooperation among organizations providing mental health services to older persons. *Administration and Policy in Mental Health*, 28(2), 75-89.

Meehan, T., Robertson, S., & Stedman, T., & et al (2004, Nov-Dec). Outcomes for elderly patients with mental illness following relocation from a stand-alone psychiatric hospital to community-based extended care units. *Australian and New Zealand Journal of Psychiatry*, 38(11-12), 948-52.

Mirotnik, J., & Kamp, L.L. (2000, Oct). Cognitive status and relocation stress: A test of the vulnerability hypothesis. *Gerontologist*, 40(5), 531-9.