

**SMOKING POLICIES IN FOOD SERVICE ESTABLISHMENTS
BY HEALTH DEPARTMENT SERVICE AREA AND STATE, 2003**

Area	Number of Restaurants Reporting	Percent of Smoke-Free Restaurants	Percent that Physically Separate Smoking and Nonsmoking Sections	Average Percent of Non-Smoking Seats in Restaurants that Allow Smoking ^a
Barren River District	635	35.9 (32.2-39.6)	31.7 (27.2-36.2)	33.4 (29.8-37.0)
Barren	167	35.3 (28.0-42.6)	38.0 (28.7-47.2)	41.5 (34.4-48.7)
Butler	37	21.6 (7.9-35.3)	37.9 (19.5-56.4)	25.7 (13.1-38.3)
Edmonson	29	20.7 (5.3-36.1)	4.3 (0.0-13.2)	30.4 (10.1-50.8)
Hart	49	14.3 (4.2-24.3)	19.0 (6.8-31.3)	27.5 (15.8-39.2)
Logan	43	44.2 (28.9-59.5)	25.0 (6.7-43.3)	33.5 (17.0-50.1)
Metcalfe	32	25.0 (9.4-40.6)	25.0 (6.7-43.3)	17.7 (5.7-29.7)
Simpson	12	0.0	41.7 (10.3-73.0)	50.0 (24.8-75.2)
Warren	266	45.5 (39.5-51.5)	35.2 (27.3-43.0)	32.3 (26.5-38.1)
Buffalo Trace District	67	29.9 (18.7-41.0)	19.1 (7.6-30.7)	21.2 (12.1-30.4)
Mason	59	32.2 (20.0-44.4)	17.5 (5.3-29.7)	17.1 (8.8-25.5)
Robertson	8	12.5 (0.0-40.1)	28.6 (0.0-70.4)	44.7 (0.4-89.1)
Cumberland Valley District	158	18.4 (12.3-24.4)	0.0	16.5 (10.3-22.6)
Bell	62	17.7 (8.0-27.4)	0.0	14.1 (5.2-22.9)
Clay	21	0.0	0.0	23.8 (3.9-43.7)
Harlan	56	28.6 (16.5-40.7)	0.0	17.6 (5.8-29.5)
Jackson	19	10.5 (0.0-25.3)	0.0	11.8 (0.0-28.8)
Rockcastle	*	*	*	*
Gateway District	232	39.7 (33.3-46.0)	21.4 (14.6-28.3)	18.3 (13.1-23.5)
Bath	50	40.0 (26.1-53.9)	10.0 (0.0-21.2)	16.3 (4.1-28.6)
Menifee	31	45.2 (26.9-63.4)	5.9 (0.0-18.0)	13.5 (0.0-30.7)
Morgan	46	45.7 (30.9-60.4)	12.0 (0.0-25.4)	6 (0.0-12.8)
Rowan	105	35.2 (26.0-44.5)	33.8 (22.4-45.3)	24.9 (17.0-32.9)
Green River District	799	58.1 (54.6-61.5)	21.8 (17.4-26.2)	27.3 (23.8-30.9)
Daviess	367	57.2 (52.1-62.3)	14.6 (9.1-20.2)	24.1 (18.9-29.4)
Hancock	29	72.4 (55.4-89.4)	0.0	13.8 (0.0-38.9)
Henderson	164	53.0 (45.4-60.7)	54.5 (43.2-65.8)	48.7 (43.0-54.4)
McLean	36	36.1 (19.9-52.4)	0.0	13.0 (0.0-27.9)
Ohio	80	65.0 (54.4-75.6)	28.6 (11.1-46.1)	17.9 (7.6-28.1)
Union	64	59.4 (47.1-71.6)	0.0	17.3 (4.6-30.0)
Webster	59	72.9 (61.3-84.5)	0.0	16.3 (0.0-34.6)

* No data reported, **No confidence interval due to small sample size. NA=Not Applicable

^a Indicates nonsmoking seating whether physically separated or not.

Area	Number of Restaurants Reporting	Percent of Smoke-Free Restaurants	Percent that Physically Separate Smoking and Nonsmoking Sections	Average Percent of Non-Smoking Seats in Restaurants that Allow Smoking ^a
Kentucky River	175	13.1 (8.1-18.2)	13.2 (7.7-18.6)	17.9 (12.5-23.3)
Knott	2	0.0	50.0 (0.0-100.00)	25.0 (0.0-100.0)
Lee	27	14.8 (0.8-28.9)	0.0	13.0 (0.0-27.9)
Leslie	17	11.8 (0.0-28.3)	0.0	20.0 (0.0-42.9)
Letcher	25	0.0	24.0 (6.4-41.6)	10.7 (2.5-18.9)
Owsley	13	15.4 (0.0-37.2)	0.0	9.1 (0.0-29.3)
Perry	81	18.5 (9.9-27.1)	19.7 (9.9-29.5)	25.8 (16.5-35.0)
Wolfe	10	0.0	0.0	0.0
Lake Cumberland District	472	18.9 (15.3-22.4)	26.6 (22.2-31.1)	19.6 (16.6-22.6)
Adair	59	28.8 (17.0-40.6)	14.3 (3.4-25.2)	9.0 (2.6-15.5)
Casey	39	17.9 (5.5-30.4)	12.5 (0.6-24.4)	10.3 (1.7-18.9)
Clinton	29	20.7 (5.3-36.1)	26.1 (7.1-45.1)	12.0 (2.5-21.4)
Cumberland	15	20.0 (0.0-42.2)	33.3 (3.4-63.3)	20.4 (0.6-40.3)
Green	30	20.0 (5.1-34.9)	12.5 (0.0-26.5)	11.5 (0.7-22.2)
McCreary	51	9.8 (1.4-18.2)	13.0 (3.0-23.0)	14.8 (5.7-23.9)
Pulaski	111	14.4 (7.8-21.0)	27.4 (18.3-36.5)	23.9 (16.9-30.9)
Russell	64	21.9 (11.5-32.2)	82.0 (71.1-92.9)	46.8 (42.3-51.3)
Taylor	74	20.3 (11.0-29.6)	10.2 (2.3-18.0)	11.9 (4.3-19.6)
Wayne	*	*	*	*
Lincoln Trail District	775	47.9 (44.3-51.4)	21.3 (17.3-25.3)	24 (20.5-27.5)
Grayson	104	36.5 (27.2-45.9)	13.6 (5.2-22.1)	11.6 (5.1-18.0)
Hardin	317	62.5 (57.1-67.8)	42.9 (33.9-51.8)	40.4 (33.2-47.6)
Larue	40	37.5 (22.0-53.0)	8.0 (0.0-19.2)	17.6 (3.6-31.6)
Marion	59	30.5 (18.5-42.5)	4.9 (0.0-11.7)	18.6 (7.1-30.1)
Meade	67	23.9 (13.5-34.3)	9.8 (1.4-18.2)	24.5 (14.4-34.5)
Nelson	150	44.7 (36.6-52.7)	18.1 (9.7-26.5)	17.7 (10.9-24.4)
Washington	38	50.0 (33.6-66.4)	10.5 (0.0-25.3)	10.5 (0.0-23.4)
Little Sandy	18	27.8 (5.5-50.1)	38.5 (9.1-67.9)	23.1 (3.9-42.2)
Carter	17	23.5 (1.7-45.3)	38.5 (9.1-67.9)	23.1 (3.9-42.2)
Elliott	1	100 **	**	**

* No data reported. **No confidence interval due to small sample size. NA=Not Applicable

^a Indicates nonsmoking seating whether physically separated or not.

Area	Number of Restaurants Reporting	Percent of Smoke-Free Restaurants	Percent that Physically Separate Smoking and Nonsmoking Sections	Average Percent of Non-Smoking Seats in Restaurants that Allow Smoking ^a
North Central District	71	32.4 (21.3-43.5)	29.2 (16.0-42.4)	9.6 (4.3-14.9)
Henry	12	16.7 (0.0-40.3)	80.0 (51.4-100.0)	14.3 (2.3-26.3)
Shelby	50	42.0 (28.0-56.0)	17.2 (2.9-31.6)	7.8 (0.7-14.9)
Spencer	8	0.0	0.0	6.3 (0.0-21.0)
Trimble	1	0.0	100.0**	40.0 **
Northern Kentucky District	943	40.1 (37.0-43.2)	22.7 (19.2-26.1)	22.1 (19.3-24.9)
Boone	286	53.5 (47.7-59.3)	32.3 (24.3-40.4)	23.6 (18.2-29.1)
Campbell	266	35.7 (29.9-41.5)	13.5 (8.3-18.6)	16.7 (11.7-21.7)
Grant	31	25.8 (9.8-41.9)	39.1 (18.0-60.2)	35.0 (17.8-52.2)
Kenton	360	33.9 (29.0-38.8)	22.3 (17.0-27.6)	23.9 (19.4-28.4)
Pennyrile District	154	16.9 (10.9-22.8)	33.6 (25.3-41.9)	34.8 (28.4-41.2)
Caldwell	43	18.6 (6.6-30.6)	20.0 (6.3-33.7)	39.3 (26.7-51.9)
Crittenden	19	0.0	36.8 (13.6-60.1)	19.3 (5.4-33.2)
Livingston	23	17.4 (1.0-33.8)	36.8 (13.6-60.1)	41.6 (21.1-62.1)
Lyon	36	30.6 (15.0-46.1)	52.0 (31.4-72.6)	40.2 (25.2-55.2)
Trigg	33	9.1 (0.0-19.3)	30.0 (12.9-47.1)	30.5 (17.1-43.9)
Purchase District	533	36.4 (32.3-40.5)	36.0 (30.9-41.1)	38.1 (34.1-42.0)
Ballard	28	10.7 (0.0-22.7)	16.0 (0.9-31.1)	28.6 (11.2-46.0)
Calloway	94	41.5 (31.4-51.6)	36.4 (23.4-49.4)	26.2 (17.4-34.9)
Carlisle	22	13.6 (0.0-28.9)	10.5 (0.0-25.3)	16.8 (0.0-34.8)
Fulton	42	38.1 (23.0-53.2)	0.0	34.6 (16.8-52.5)
Graves	31	51.6 (33.3-69.9)	13.3 (0.0-32.2)	17.0 (0.0-36.4)
Hickman	19	36.8 (13.6-60.1)	8.3 (0.0-25.9)	14.6 (0.0-36.5)
McCracken	297	37.0 (31.5-42.6)	49.7 (42.5-56.9)	48.6 (43.9-53.4)
Three Rivers District	146	33.6 (25.8-41.3)	9.3 (3.4-15.1)	23.0 (16.7-29.2)
Carroll	58	32.8 (20.4-45.1)	12.8 (2.0-23.7)	23.1 (13.3-32.8)
Gallatin	38	47.4 (31.0-63.8)	5.0 (0.0-15.2)	42.0 (26.5-57.5)
Owen	36	30.6 (15.0-46.1)	4.0 (0.0-12.1)	11.6 (0.0-23.2)
Pendleton	14	7.1 (0.0-22.0)	15.4 (0.0-37.2)	15.4 (0.9-29.9)

* No data reported. **No confidence interval due to small sample size. NA=Not Applicable

^a Indicates nonsmoking seating whether physically separated or not.

Area	Number of Restaurants Reporting	Percent of Smoke-Free Restaurants	Percent that Physically Separate Smoking and Nonsmoking Sections	Average Percent of Non-Smoking Seats in Restaurants that Allow Smoking ^a
WEDCO District	150	53.3 (45.3-61.4)	18.6 (9.3-27.8)	24.4 (15.8-32.9)
Harrison	14	50.0 (21.1-78.9)	28.6 (0.0-70.4)	9.3 (0.0-26.7)
Nicholas	23	47.8 (26.2-69.4)	16.7 (0.0-40.3)	16.7 (0.0-37.4)
Scott	113	54.9 (45.6-64.1)	17.6 (6.9-28.4)	28.2 (17.6-38.8)
Independent Counties				
Allen	32	28.1 (11.9-44.3)	8.7 (0.0-20.9)	47.8 (28.8-66.8)
Anderson	49	24.5 (12.1-36.8)	21.6 (7.9-35.3)	13.2 (4.7-21.8)
Bourbon	*	*	*	*
Boyd	165	41.8 (34.2-49.4)	43.8 (33.7-53.8)	22.0 (16.3-27.6)
Boyle	67	68.7 (57.3-80.0)	47.6 (24.9-70.4)	38.3 (24.1-52.6)
Bracken	19	0.0	0.0	10.5 (0.0-25.7)
Breathitt	62	61.3 (48.9-73.7)	12.5 (0.0-26.5)	35.8 (17.6-54.1)
Breckinridge	45	31.1 (17.2-45.0)	12.9 (0.6-25.2)	13.9 (2.8-24.9)
Bullitt	166	54.8 (47.2-62.4)	12.0 (4.5-19.5)	15.5 (8.3-22.7)
Christian	235	54.0 (47.6-60.4)	12.0 (5.8-18.2)	14.6 (9.1-20.2)
Clark	121	43.8 (34.9-52.7)	13.2 (5.0-21.4)	18.1 (10.6-25.5)
Estill	42	35.7 (20.8-50.6)	77.8 (61.3-94.2)	47.4 (36.6-58.2)
Fayette	864	48.1 (44.8-51.5)	33.3 (28.9-37.6)	34.5 (31.2-37.8)
Fleming	24	0.0	0.0	25.0 (6.3-43.7)
Floyd	131	56.5 (47.9-65.1)	43.9 (30.7-57.0)	23.2 (15.6-30.9)
Franklin	188	50.0 (42.8-57.2)	11.7 (5.1-18.3)	40.6 (32.6-48.7)
Garrard	*	*	*	*
Greenup	43	37.2 (22.3-52.1)	33.3 (14.7-52.0)	28.5 (13.8-43.2)
Hopkins	254	55.5 (49.4-61.7)	15.9 (9.1-22.8)	41.0 (33.7-48.3)
Jefferson	1528	63.7 (61.3-66.1)	47.7 (43.6-51.9)	39.3 (36.2-42.3)
Jessamine	92	45.7 (35.3-56.0)	40.0 (26.1-53.9)	34.1 (24.4-43.8)
Johnson	14	14.3 (0.0-34.5)	25.0 (0.0-52.5)	31.3 (8.9-53.6)
Knox	*	*	*	*
Laurel	77	44.2 (32.9-55.4)	18.6 (6.6-30.6)	34.4 (25.9-42.9)
Lawrence	29	44.8 (25.9-63.7)	37.5 (11.7-63.3)	27.4 (8.3-46.5)
Lewis	37	16.2 (3.9-28.5)	6.5 (0.0-15.5)	8.0 (1.7-14.3)
Lincoln	36	13.9 (2.2-25.6)	3.2 (0.0-9.7)	22.1 (10.1-34.1)
Madison	268	38.4 (32.6-44.3)	21.2 (14.9-27.5)	25.9 (20.5-31.3)
Magoffin	15	0.0	6.7 (0.0-20.5)	38.7 (11.4-65.9)
Marshall	76	25.0 (15.1-34.9)	31.6 (19.2-43.9)	39.2 (29.6-48.9)
Martin	58	41.4 (28.4-54.3)	5.9 (0.0-14.1)	14.7 (2.7-26.7)
Mercer	79	26.6 (16.7-36.5)	29.3 (17.3-41.3)	22.4 (14.6-30.3)
Monroe	*	*	*	*
Montgomery	75	45.3 (33.9-56.8)	22.0 (8.9-35.0)	57.0 (44.1-70.0)
Muhlenberg	73	27.4 (17.0-37.8)	32.1 (19.2-44.9)	39.9 (31.0-48.9)

*No data reported. **No confidence interval due to small sample size. NA=Not Applicable

^a Indicates nonsmoking seating whether physically separated or not.

Area	Number of Restaurants Reporting	Percent of Smoke-Free Restaurants	Percent that Physically Separate Smoking and Nonsmoking Sections	Average Percent of Non-Smoking Seats in Restaurants that Allow Smoking ^a
Oldham	83	68.7 (58.5-78.8)	46.2 (26.0-66.3)	30.2 (18.8-41.6)
Pike	20	0.0	70.0 (48.6-91.4)	50.5 (33.7-67.3)
Powell	52	46.2 (32.3-60.0)	17.9 (3.0-32.7)	46.1 (28.6-63.5)
Todd	*	*	*	*
Whitley	40	7.5 (0.0-15.9)	70.3 (55.0-85.5)	43.4 (33.6-53.2)
Woodford	74	45.9 (34.4-57.5)	15.0 (3.6-26.4)	46.3 (31.9-60.6)
Kentucky	10561	44.5 (43.6-45.5)	27.0 (25.9-28.2)	28.6 (27.6-29.5)

*No data reported. **No confidence interval due to small sample size. NA=Not Applicable

Source: Kentucky Department for Public Health, Division of Environmental Health and Community Safety, Frankfort, KY, October 2003.

This report was produced through a contract between The Kentucky Cabinet for Health Services and The University of Kentucky College of Nursing

For more information, contact:

Ellen J. Hahn, DNS, RN
Associate Professor
University of Kentucky
College of Nursing
Lexington, KY
ejhahn00@email.uky.edu
(859) 257-2358

Last updated 2/26/04

^a Indicates nonsmoking seating whether physically separated or not.